



2 cabins - 1 Head



3 cabins - 2 head compartments



3 cabins - 1 Head

## GENERAL SPECIFICATIONS

• Length overall	12,43 m	40'9"
• Hull length	11,97 m	39'3"
• L.W.L.	11,37 m	37'4"
• Hull Beam	4,20 m	13'9"
• Deep draft	2,18 m	7'2"
• Deep ballast weight	2 300 kg	5,071 lbs
• Shallow draft	1,70 m	5'7"
• Shallow ballast weight	2 507 kg	5,527 lbs
• Air draft	18,85 m	61'10"
• Light displacement	8 777 kg	19,350 lbs
• Fuel tank capacity	200 L	53 US Gal
• Freshwater capacity (standard)	370 L	98 US Gal
• Freshwater capacity (Optional equipment)	200 L	53 US Gal
• Engine power	40 HP	40 HP
	POD 60	POD 60

## ARCHITECT / DESIGNERS

- Naval Architect: Finot - Conq And associs
- Interior design: Nauta Design

## CE CERTIFICATION

- Category A - 10 people
- Category B - 11 people
- Category C - 14 people

## STANDARD SAIL LAYOUT AND AREA

• Mainsail (classic)	41,70 m <sup>2</sup>	449 sq ft
• Genoa (104 %)	42,10 m <sup>2</sup>	453 sq ft
• Asymmetrical spinnaker	130,00 m <sup>2</sup>	1,400 sq ft
• I	16,01 m	52'6"
• J	5,17 m	16'12"
• P	15,00 m	49'3"
• E	4,71 m	15'5"



## STANDARD EQUIPMENT

### CONSTRUCTION

- Design made following European Directive requirements and according to EC certification
- Monolithic hull in polyester
- Monolithic structural hull liner bonded to the hull
- Injection molded deck in glass fiber/balsa sandwich, covered with «diamond-point» non-slip coating
- Hull-deck joint screwed, bonded and trimmed with 1 toerail
- Cast iron keel fixed with bolts and stainless steel backing plates
- Rudder hung with glass compound stock
- White colored hull - Grey metal hull decoration

### DECK EQUIPMENT

#### RIGGING

- Standard mast 9/10 anodized aluminum installed on the deck, 2 sets of spreaders
- Anodized aluminum boom
- Discontinuous stainless steel standing rigging
- 2 Backstays with turnbuckles
- Rigid boom vang
- Genoa furling system with drum on the deck
- 2 Stand Up blocks on mainsheet arch
- 2 Genoa tracks with piston adjusted traveller cars
- 2 Genoa sheet return blocks
- Rigging run back to cockpit (except boom topping lift)
- Complete running rigging: Main halyard, Genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets
- 2 Reefing lines, 1 Manual reef
- 7 Line stoppers
- 2 Halyard bags

#### WINCHES

- 2 Self-tailing genoa sheet winches (H46.2 STA)
- 2 Self tailing coachroof winches (H40.2 STA)
- 2 Aluminum winch handles Speed Grip
- 2 Winch handle holders

#### SAILS

- Furling genoa with UV protective strip
- Semi full batten written sail with slider and roller slider
- System: Lazy Jack System and Lazy bag in Natural color

#### MOORING - ANCHORING GEAR

- Self-bailing chain locker - Clench bolt - Hatch cover
- Single roller stainless steel bow fitting with offset roller
- 6 Aluminum mooring cleats - Stainless steel deck line protection
- Quick 12V anchor windlass

#### SAFETY ON DECK

- 1 Open stainless steel forward pulpit
- 2 Stainless steel aft pushpits
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- 1 Flag pole socket
- Double lifelines and stainless steel stanchions - Access to port and to starboard in lifelines
- Navigation lights

### COCKPIT

- Self-bailing cockpit
- 2 Cockpit locker
- 2 Lockers in cockpit floor under helm's feet
- 1 Liferaft locker under helm seat, in cockpit bottom (0,80 m x 0,40 m x 0,58 m / 2'7" x 1'4" x 1'11")
- 1 Gas locker for bottle(s) under the port helm seat
- Natural solid wood slatted cockpit benches
- 2 Steering wheel consoles: Stainless steel steering wheels - 900 mm diameter - Leather covered - Steering gear at the helm station - Metal cable transmission system - Stainless steel handrail - Navigation instrument pod (optional instruments) - Glass holder
- 1 Deck plate for access to tiller system + Power supply access hatch
- 1 Emergency tiller
- 2 Steering compass on consoles
- Portside engine control and control panel
- Polyester cockpit table - 2 Flaps - Glove boxes - 2 Large storage space - 2 Stainless steel handrails - 12 V Power outlet - Lamp with shade
- 1 Cold water cockpit shower
- 1 Fixed composite arch - Built-in lighting
- 2 Hinged PMMA companionway doors - Sliding hatch made of PMMA
- Hot/cold cockpit shower
- Steering wheel cover white

### SWIM DECK / STERN DECK

- Fully opening transom, convertible into swim platform (2,85 m x 0,77 m / 9'4" x 2'6")
- Electrically controlled opening swim platform
- Natural solid wood decking on swim platform
- 1 Stainless steel swim/boarding ladder - Solid wood steps - Folding

### INTERIOR

- Woodwork Alpi Mahogany
- Parquet type laminated floors
- Padding upholstery in salon and cabins
- Fabric upholstery
- Marine mattresses in the cabins

### COMPANIONWAY

- Headroom: 1,93 m / 6'4"
- Wooden salon companionway with molded wood hanging steps with non-slip surface
- 2 Stainless steel handrails

### SALON

- Headroom: 1,95 m / 6'5"
- U-shaped salon bench - Double density foam
- Salon table in 1 piece - Varnished wood top with inlay - Aluminum legs
- Mirror on starboard bulkhead
- Cupboard units - Cubby hole lockers and storage along the hull - Storage under bench seats
- Cubbyholes with stainless steel beading
- 2 Coachroof panoramic windows with curtains
- 2 Hull portholes with curtain
- 2 Opening portholes on coaming in side windows
- 1 Opening deck hatch with shutter / Mosquito screen
- LED interior lights
- Indirect light
- Leather covered handrails

### CHART TABLE - PORTSIDE

- Sliding, can be configured with the armchairs - Placed against the forward bulkhead, against the galley or between the 2 mobile seats
- Table with flap - Molded wood beading
- Switch panel on bulkhead for access to electrical functions
- 1 White reading light / Red



## GALLEY - PORTSIDE

- Headroom: 1,89 m / 6'2"
- L-shaped kitchen
- Countertop of synthetic surfaces
- 1 Stainless steel sink 2 rectangular basins - 1 Mixer tap cold water / hot water, under pressure
- 1 Gas stove 2 burners - Stainless steel oven on gimbal mountings - Stainless steel protection handrail
- 1 85 L ice box / 22 US Gal, top opening
- 1 12 V 130 L refrigerator / 34 US Gal, front opening
- Fitted cupboards and closed cubbyholes - Garbage bin
- 1 Lower cupboard: 1 Drawer - 2 Shelves
- 1 Opening portlight with curtains in side windows in the coaming
- Storage space along the hull

## STARBOARD AFT HEAD COMPARTMENT

- Headroom: 1,85 m / 6'1"
- Access through salon and the starboard aft cabin
- Separate shower - 1 Mixing tap hot water / Cold water
- 1 Manual marine toilet
- 1 Rigid holding tank 80L / 21 US Gal
- Sink - 1 Mixing tap hot water / Cold water
- Washroom cabinet
- 2 Mirrors
- Toilet accessories
- Cupboard
- 1 Opening portlight with curtains in side windows in the coaming

## STARBOARD AFT CABIN

- Headroom: 1,89 m / 6'2"
- 1 Double bed (2,00 m x 1,60 m x 1,28 m / 6'7" x 5'3" x 4'2")
- Access door to starboard aft washroom
- Cupboard units - Hanging locker - Closed cubbyholes
- 1 Bed access sideboard
- 1 Hull porthole with curtain
- 1 Cockpit windows with curtains
- 1 Porthole opening onto cockpit with curtain
- 1 Flush deck hatch with shutter / Mosquito screen

## Version 2 cabins

### AFT-GALLEY (PORT AFT)

- Headroom: 1,89 m / 6'2"
- Access via galley
- Large storage area (Numerous cupboards, Shelves, Drawers)
- Space for dishwasher (optional) in place of dresser
- Access door to port cockpit locker
- 1 Flush deck hatch with shutter / Mosquito screen
- 1 Hull porthole with curtain
- 1 Cockpit windows with curtains

## Version 3 cabins

### PORT AFT CABIN

- Headroom: 1,89 m / 6'2"
- Double bed - Port cabin (2,00 m x 1,43 m x 1,10 m / 6'7" x 4'8" x 3'7")
- 1 Bed access sideboard
- Cupboard - Hanging locker - Closed cubbyholes
- 1 Hull porthole with curtain
- 1 Cockpit porthole with curtain
- 1 Flush deck hatch with shutter / Mosquito screen
- 1 Cockpit windows with curtains
- Indirect light

## Version 1 Head

### FORWARD CABIN

- Headroom: 1,91 m / 6'3"
- Central double bed (2,00 m x 1,88 m x 0,51 m / 6'7" x 6'2" x 1'8")
- Hanging lockers - Glove box - Cubby hole locker - Lower cupboard - Stowage under platform
- 1 Dressing table
- 3 Flush deck hatches with shutter / Mosquito screen
- 2 Hull portholes with curtain
- Indirect light

## 2 Washroom version

### FORWARD CABIN

- Headroom: 1,87 m / 6'4"
- Central double bed (2,00 m x 1,88 m x 0,51 m / 6'7" x 6'2" x 1'8")
- Hanging locker - Glove box - Cubby hole locker - Storage drawer - Stowage under platform
- 2 Opening hatches with blind / Mosquito screen
- 2 Hull portholes with curtain
- Indirect light

### STARBOARD FORWARD HEAD COMPARTMENT

- Headroom: 1,89 m / 6'2"
- Access through forward cabin
- Manual marine toilet
- Moulded basin - Storage space under the basin - Shower mixer tap hot / Cold water
- 1 Mirror
- 1 Washroom cabinet
- Toilet accessories
- Cupboard
- 1 Opening port in the coaming, within the side windows with curtain

## ENGINE

- Engine Yanmar Diesel 40 hp / 40 HP Sail Drive or POD 60 Dock & Go
- Engine control - Control panel in cockpit
- Engine compartment: Soundproofing foam - Ventilation: 1 air intake and 1 air outlet
- 1 Alternator 12 V / 80 Ah
- 1 Rotomoulded diesel tank 200 L / 53 US Gal (under port aft berth) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water - Diesel - Decanter
- Fixed three blade propeller
- 1 Engine access through companionway (opening with 2 gas pistons) - 2 Engine access through aft cabins

## ELECTRICITY

- 12 V Circuit
- 2 Service batteries (110 Ah) - 1 Engine battery (110 Ah)
- 1 Load balancer
- 12 V Electrical panel (Fuses - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning - Water warning)
- 1 12 V Power outlets
- Lighting: Overhead lights - Reading lights - Reading light White/red
- Navigation lights: 1 Forward and aft navigation lights - 1 Engine navigation light / Deck light forward of mast - 1 Mooring light on masthead
- Wire runs for options cables
- Full 115 V system (Interior power outlet 115 V, 40 Amp battery charger, Shore power socket)

## PLUMBING

- 1 Rotomolded freshwater tank (330 L / 87 US Gal Forward cabin) - 1 Deck filler
- Waterpressure system - Expansion tank - Inline filter
- 40 L Electric water heater / 11 US Gal (engine run)
- 1 Rigid holding tank 80L / 21 US Gal (Starboard aft head compartment)
- Delayed shower draining and electric shower drain pumps
- 1 Electric bilge pump - 1 Manual bilge pump
- 1 Electric ice box drain pump

## GAS

- 1 Gas bottle box in the cockpit (diameter 0,34 m x 0,53 m / 1'1" x 1'9")
- Regulator and solenoid



**TRIM LEVEL**

	PLATINUM EDITION (GREY OR WHITE HULL PACKS)
Hull window Grey or Hull window White	■
Fender support in cockpit locker	■
Freezer in place of ice box	■
Counter galley solid surface Jenna Sand	■
Double berth in salon	■
Movable stool	■
Underfloor board storage	■
Black deco kit	■
Stereo US sonic hub - Interior and exterior speakers	■
Charplotter Zeus 2 12" Exterior	■
Simrad wifi module	■
US Cartography B&G	■
Autopilot B&G	■
Nav trifunction B&G (2 x T41 Display)	■
Wind system B&G	■
V50 VHF + Wireless handset + AIS B&G	■

**PACKS**

	CRUISING PACK	PERFORMANCE PACK
2 Flag halyards	■	
Inner forestay chainplate	■	
Extra bow roller	■	
Rub rail	■	
Bow thruster	■	
Fresh sea water foot pump	■	
Extra water tank	■	
Extra battery charger	■	
Inverter 12V 110V	■	
Folding propeller	■	
SIMRAD Stereo satellite receiver	■	
4G B&G Radar	■	
Classic mast or Roller furling mast		■
Asymmetrical spinnaker rigging		■
Asymmetrical spinnaker		■
Easy Sail Kit		■

**VERSION**

	DOCK & GO
Engine YANMAR Diesel Dock & Go POD 60	■
Swivel Sail Drive base	■
Joystick	■
Bow thruster	■
Auto pilot	■



## OPTIONS

---

### Navigation electronics B&G

- 2 Zeus T7 additional screens
- Vessel Management Unit (VMU)

### Rigging - Sails

- Code 0 on furler
- H46STAECH elect port maneuvering winch
- 46.2STAEH Electric primary winch

### Hull - Deck

- White or Grey hull
- Solid wood slatted side decks
- Silver Coachroof sprayhood
- Silver Cockpit bimini
- Silver Cockpit cushions
- 3 Blade folding propeller
- Refrigerated ice-box in cockpit table (30 L / 8 US Gal) - Positive cold
- Stainless steel Arch with davits

### Interior equipment

- 115 V Microwave oven
- Fuel forced-air heating system
- Air conditioning
- Dressing table seat
- Head board(s) for the forward cabin (Version: 2 cabins, 1 Toilet - 3 cabins, 1 Toilet)
- Double berth in salon
- Extended saloon table
- Holding tank additional
- Electric QUIET FLUSH head
- Extra water tank 200 L / 53 US Gal
- Pre-rigging TV LCD 24" + DVD/MP3 player in the salon
- Mosquito screens
- 12 V / 115 V inverter - 2 000 VA
- ONAN 7.5 KVA Generator (2 cabin version only)
- White composite steering wheel
- Grey upholstery padding in all cabins or Taupe
- Deluxe folding salon table (double berth compatible)

\* Except on mast with in-mast furling

