

Oceanis 38

Inventory list - USA


Day Sailer



Day Sailer



Week End / Cruiser



Week End - 2 convertible cabins



Week End - 3 convertible cabins



GENERAL SPECIFICATIONS

• Length overall (Daysailer)	11,15 m	36'7"
• Length overall (Weekender & Cruiser)	11,50 m	37'9"
• Hull length	11,13 m	36'6"
• L.W.L.	10,72 m	35'2"
• Hull Beam	3,99 m	13'1"
• Light displacement (Daysailer - GTE)	6 095 kg	13,433 lbs
• Light displacement (Cruiser - GTE)	6 850 kg	15,097 lbs
• Deep draft	2,08 m	6'10"
• Deep ballast weight	1 790 kg	3,945 lbs
• Shallow draft	1,64 m	5'5"
• Shallow ballast weight	2 060 kg	4,540 lbs
• Air draft	16,55 m	54'4"
• Freshwater capacity (standard)	130 L	34 US Gal
• Freshwater capacity (optional)	200 L	53 US Gal
• Fuel tank capacity	130 L	34 US Gal
• Engine power	30 HP	30 HP
	POD 60	POD 60

STANDARD SAIL LAYOUT AND AREA

• Mainsail (classic)	32,70 m ²	393 sq/ft
• Furling mainsail	30,00 m ²	323 sq/ft
• Genoa (103 %)	33,00 m ²	355 sq/ft
• Asymmetrical spinnaker	114 m ²	1,227 sq/ft
• Code 0	65 m ²	700 sq/ft
• Self-tacking jib	25 m ²	269 sq/ft
• I	14,01 m	46'
• J	4,79 m	15'9"
• P	13,25 m	43'6"
• E	4,21 m	13'10"

ARCHITECT / DESIGNERS

- Naval Architect: Finot - Cong
- Interior design & Deck: Nauta Design

CE CERTIFICATION

- Category A - 8 people
- Category B - 9 people
- Category C - 10 people



Cruiser - 2 cabins



Cruiser - 3 cabins



	Daysailer	Weekender (Convertible)		Cruiser	
		2C	3C	2C	3C

CONSTRUCTION

<ul style="list-style-type: none"> Design made following European Directive requirements and according to EC certification Monolithic hull in polyester Monolithic structural hull liner bonded to the hull Deck injection construction in fiberglass and Saerfoam foam sandwich, covered with "diamond-tip" type non-slip surface Hull-deck joint screwed, bonded and trimmed with 1 toerail Cast iron keel fixed with bolts and stainless steel backing plates 2 Underhung rudders with stainless steel stock White colored hull - Hull decorated grey & Blue 	standard	standard	standard		
---	----------	----------	----------	--	--

DECK EQUIPMENT

RIGGING

<ul style="list-style-type: none"> Standard mast 9/10 anodized aluminum installed on the deck, 2 sets of spreaders Anodized aluminum boom Discontinuous stainless steel standing rigging 1 Backstay: Bridle Rigid boom vang Genoa furling system with drum on the deck 2 Genoa tracks with piston adjusted traveller cars 2 Genoa sheet return blocks Rigging run back to cockpit (except boom topping lift) Complete running rigging: Main halyard, Genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets, 2 Reefing lines, 2 Automatic reefing system lines 4 Clutches, 2 Jamming cleats 	standard	standard	standard		
<ul style="list-style-type: none"> Fixed composite arch, with incorporated LED lighting 2 Blocks "Stand Up" - Mainsail sheet 	standard	standard	standard		

	Daysailer	Weekender (Convertible)		Cruiser	
		2C	3C	2C	3C

WINCHES

<ul style="list-style-type: none"> 2 Self-tailing genoa sheet winches (H40.2 STA) 1 Coach roof winch self tailing (H35.2 STA) 2 Aluminum winch handles "Speed Grip", 2 Winch handle holders 	standard	standard	standard		
--	----------	----------	----------	--	--

SAILS

<ul style="list-style-type: none"> Furling genoa with UV protective strip Semi full batten logo mainsail with slider (Roller slides for fully battened mainsail) Lazy Jack System and Lazy bag in Natural color 	standard	standard	standard		
--	----------	----------	----------	--	--

MOORING - ANCHORING GEAR

<ul style="list-style-type: none"> Self-bailing chain locker - Clench bolt - Hatch cover Stainless steel deck plates 6 Aluminum mooring cleats - Stainless steel deck line protection 	standard	standard	standard		
--	----------	----------	----------	--	--

COCKPIT

<ul style="list-style-type: none"> Self-bailing cockpit 1 Cockpit locker 2 Lockers in cockpit bottom - Side helm seats 1 Liferaft locker - aft cockpit (0,95 m x 0,59 m x 0,36 m / 3'1" x 1'11" x 1'2") Cockpit benches (1,69 m x 0,50 m / 5'7" x 1'8") 2 Steering wheel consoles: Stainless steel steering wheels - 900 mm diameter / 2'11" - Leather covered - Steering gear at the helm station - Metal cable transmission system - Stainless steel handrail - Navigation instrument pod (optional instruments) - Glass holder 1 Deck plate for access to tiller system 1 Emergency tiller Portside engine control and control panel 2 Hinged PMMA companionway doors - Sliding hatch made of PMMA 	standard	standard	standard		
<ul style="list-style-type: none"> Cold water cockpit shower 	Optional equipment	Optional equipment			
<ul style="list-style-type: none"> Hot water cockpit shower/Cold water 		Pack	standard		

	Daysailer	Weekender (Convertible)		Cruiser	
		2C	3C	2C	3C

SAFETY ON DECK

<ul style="list-style-type: none"> 1 Open stainless steel forward pulpit, 2 Stainless steel aft pushpits 1 Ring lifebuoy bracket, 1 Ensign staff - Bracket Double lifelines and stainless steel stanchions - Access to port and to starboard in lifelines 	standard	standard	standard		
--	----------	----------	----------	--	--

SWIM DECK / STERN DECK

<ul style="list-style-type: none"> Fully opening transom, convertible into swim platform (2,60 m x 0,70 m / 8'6" x 2'4") Manually operated with gas cylinder assist 1 Stainless steel integrated telescopic swimming ladder 2 Steering compass 		standard	standard		
--	--	----------	----------	--	--

INTERIOR ACCOMMODATION

<ul style="list-style-type: none"> Alpi Blond Oak joinery Brown oak laminated floors Fabric lined hull in salon and forecabin Main salon cushions and mattress foward cabin, Foam density 35 kg/m3 	standard	standard	standard		
--	----------	----------	----------	--	--

SALON

<ul style="list-style-type: none"> Headroom: 1,95 m / 6'5" Longitudinal salon settee Storage under bench seats Chart table with Reading light - Single table top to port Shelves with wood fiddles 2 Panoramic windows - deckhouse 2 Hull ports 1 Opening deck hatch 1 Opening porthole in coaming 6 Overhead lights Salon table with one-piece wood top - 2 feet 	standard	standard	standard		
<ul style="list-style-type: none"> High closed storage units Chart table (with opening top) 	Optional equipment	Optional equipment	standard		
	Pack	Pack			

	Daysailer	Weekender (Convertible)		Cruiser	
		2C	3C	2C	3C

COMPANIONWAY

<ul style="list-style-type: none"> Headroom: 1,96 m / 6'5" GRP salon companionway steps are coated with non-slip surface 2 Leather covered stainless steel hand rails 	standard	standard	standard		
--	----------	----------	----------	--	--

LARGE HANGING LOCKER - PORTSIDE

<ul style="list-style-type: none"> Headroom: 1,85 m / 6'1" Beam: 70 cm / 2'4" 1 Overhead light 1 Opening porthole in coaming Separate shower instead of large hanging locker 	standard	standard	standard		
---	----------	----------	----------	--	--

FORWARD CABIN

<ul style="list-style-type: none"> Headroom: 1,95 m / 6'5" Central double bed (1,50 m x 2,08 m x 1,08 m / 4'11" x 6'10" x 3'7") Glove box - Open shelving - Drawer under the bed 1 Flush opening deck hatch 2 Hull ports 2 Reading lights 	standard	standard	standard		
Additional equipment for privative version <ul style="list-style-type: none"> Bulkhead - Access door 1 Stool, in the salon 2 Overhead lights 2 Longchamp hanging luggages 		Pack	standard		
		Optional equipment			

	Daysailer	Weekender (Convertible)		Cruiser	
		2C	3C	2C	3C

GALLEY - STARBOARD

<ul style="list-style-type: none"> Headroom: 1,97 m / 6'6" Laminated worktop - Taupe 1 Stainless steel sink - 1 Rectangular stainless steel basin - 1 Tap with cold water, under pressure Cubby hole locker, Garbage bin 1 Lower cupboard: 1 Shelving (the fitted refrigerator in the Cuisine Pack version comes in place of this layout) 1 All-round coachroof window 	standard	standard	standard		
Additional equipment for fitted galley <ul style="list-style-type: none"> Gas system: Gas cylinder locker - starboard aft cockpit - (25 X 27 X 40 cm / 10" x 11" x 15") - Regulator and solenoid 1 2 burner stainless steel gas cooktop on gimbaled mounts Unit (Drawer & Cupboard units) Fridge - 12 V - 130 L, front opening 		Pack	standard		

STARBOARD AFT

<ul style="list-style-type: none"> Headroom: 1,85 m / 6'1" Interior stowage space, for 2 cabin version Direct access from the salon Allows direct access to the cockpit locker Separate shower (instead of interior stowage space) 	standard	standard		standard	
Additional equipment for privative cabin version <ul style="list-style-type: none"> Bulkhead with 1 access door 1 Overhead light Open shelving Padded upholstery along the hull Opening portholes: Roof & Cockpit Dimensions - Berths: 1,50 m x 2,00 m x 1,65 m / 4'11" x 6'7" x 5'5" Wood cabinet 		Pack		standard	
			standard		

	Daysailer	Weekender (Convertible)		Cruiser	
		2C	3C	2C	3C

PORT AFT

<ul style="list-style-type: none"> Headroom: 1,85 m / 6'1" Interior stowage space 	standard	standard		standard	
Additional equipment for privative cabin version <ul style="list-style-type: none"> Bulkhead with 1 access door 2 Reading lights 1 Overhead light Open shelving Padded upholstery along the hull Opening portholes: Roof & Cockpit 		Pack	Pack	standard	
<ul style="list-style-type: none"> Dimensions - Berth (2 cabins version) : 1,65 m x 2,18 m x 2,05 m / 5'5" x 7'2" x 6'9" Dimensions - Berth (3 cabins version): 1,50 m x 2,00 m x 1,65 m / 4'11" x 6'7" x 5'5" Wood cabinet 		Pack		standard	
			Pack		standard
		standard		standard	

STARBOARD AFT HEAD COMPARTMENT

<ul style="list-style-type: none"> Headroom: 1,89 m / 6'2" Access through salon 1 Sink, 1 Tap with cold water, Shower 1 Manual marine toilet Washroom cabinet, 1 Mirror, Toilet accessories, Hook 1 Opening portlight with curtains in side windows in the coaming 	standard	standard		standard	
<ul style="list-style-type: none"> 1 Overhead light 1 Mixing tap hot water/Cold water 		Pack			

	Daysailer	Weekender (Convertible)		Cruiser	
		2C	3C	2C	3C
ENGINE					
• Engine Yanmar Diesel 30 hp / 30 HP Sail Drive	standard	standard	standard	standard	standard
• Yanmar Diesel Dock & Go POD 60 engine (Swivel Sail Drive base, Joystick, Vessel Management Unit (VMU), Bow thruster, Auto pilot)	Optional equipment	Optional equipment	Optional equipment	Optional equipment	Optional equipment
• Engine control - Control panel in cockpit • Engine compartment: Soundproofing foam - Ventilation: 2 air intakes and 1 powered air expulsion • 1 Alternator - 12 V / 125 Ah • 1 Rotomoulded diesel tank 130 L / 34 US Gal - Electronic gauge - Low level alarm - 1 Deck filler • Filters: Sea water - Diesel - Decanter • Fixed three blade propeller • 1 Engine access through companionway (opening with 2 gas pistons) - 3 access to engine by the sides of the companionway	standard	standard	standard	standard	standard

ELECTRICITY

• Advanced 12 V circuit					
• 1 Service battery (80 Ah) - 1 Engine battery (80 Ah) • 1 Load balancer • 12 V electrical panel (Fuses - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning - Water warning) • 1 12 V Power outlet • Navigation lights: 1 Navigation light - 1 Steaming light for mototring - 1 Mooring light on masthead • Wire runs for options cables	standard	standard	standard	standard	standard
• Full 12 / 110 V system: Inside sockets, 40 Amp battery charger, Shore power socket • 2 80 Amp additional service batteries • Navigation light & Interior lights LED			Pack	Pack	

PLUMBING

	Daysailer	Weekender (Convertible)		Cruiser	
		2C	3C	2C	3C
PLUMBING					
• 1 Rotomolded freshwater tank (130 L / 34 US Gal) • 1 Deck filler • Water unit • 1 Rigid holding tank 80L / 21 US Gal • Electric pump & Shower draining • 1 Electric bilge pump - 1 Manual bilge pump	standard	standard	standard	standard	standard
• Water heater (25 L / 7 US Gal) • Plumbing board + Expansion tank • Additional freshwater supply tank (200 L / 53 US Gal)			Pack	standard	standard

Packs

	Daysailer	Weekender	Cruiser
Fitted galley Pack		Optional equipment	standard

- Gas system: Gas cylinder locker - starboard aft cockpit (25 x 27 x 40 cm / 10" x 11" x 15") - Regulator and solenoid
- 1 Stainless steel 2 burner gas cooker on gimbaled mounting
- Unit (Drawer & Cupboard units)
- Fridge 12 V - 130 L, front opening

	Daysailer	Weekender	Cruiser
Private forecabin Pack		Optional equipment	standard

- Bulkhead - Access door
- 2 Stools, in the salon
- 2 Overhead lights
- 2 Longchamp hanging luggages (Only included in Cruiser version as standard, Not included in this pack in Weekender version - Separate option only)

	Daysailer	Weekender	Cruiser
Aft cabins Pack			standard

- Headroom: 1,95 m / 6'5"
- Foam mattress density: 24 kg/m3
- Bulkhead with 1 access door
- 2 Reading lights
- 1 Overhead light
- Open shelving
- Padded upholstery along the hull
- Opening portholes: Roof & Cockpit

	Daysailer	Weekender	Cruiser
Additional storage in the salon Pack	standard	standard	standard

- High closed storage units (Salon - portside, Starboard)
- Chart table (with opening top)

	Daysailer	Weekender	Cruiser
Night pack		Optional equipment	Optional equipment

- Curtains for hull portholes (Forward cabin and Salon)
- Curtains for all-round coachroof window
- Mosquito screens, in the salon and in the aft cabin
- Blackout blind mosquito for deck hatch (Forward cabin and Salon)

	Daysailer	Weekender	Cruiser
Aqua Pack		Optional equipment	standard

- Cold water/hot water
- Water heater - 25 L / 7 US Gal - engine run (+ 110 V, if Electricity Pack)
- Additional freshwater supply tank- 200 L / 53 US Gal
- Hot/cold cockpit shower
- Plumbing board + Expansion tank
- Separate shower (to starboard for 2 cabins versions, to port for 3 cabins versions)

	Daysailer	Weekender	Cruiser
Electricity Pack		Optional equipment	Optional equipment

- Full 110 V system: 5 Inside sockets, 40 Amp battery charger, Shore power socket
- 2 80 Amp additional service batteries
- LED Navigation light & Indirect LED Interior lighting

	Daysailer	Weekender	Cruiser
Exterior equipment Pack	standard	standard	standard

- Fixed composite arch with incorporated LED lighting
- 2 Blocks "Stand Up" - Mainsail sheet
- Aft swim platform

	Daysailer	Weekender	Cruiser
Mooring Pack		Optional equipment	Optional equipment

- Electric windlass - 1000 W + Remote control
- Bow roller
- Mooring kit (Anchor-Chain-Line)

	Daysailer	Weekender	Cruiser
Outside protection Pack	Optional equipment	Optional equipment	Optional equipment

- Docklines
- Fenders
- White PVC protective covers (Steering wheel consoles)
- 2 Halyard bags

	Daysailer	Weekender	Cruiser
Electronic Pack	Optional equipment	Optional equipment	Optional equipment

Pack A

- SonicHub stereo with Bluetooth
- 1 Display T41 Triton B&G
- Wind system B&G
- V50 VHF B&G, integrated AIS receiver function + Wireless handset

Pack B

- Chartplotter Zeus 7
- Cartography B&G US
- B&G wifi module

	Daysailer	Weekender	Cruiser	Module for altering the boat		Daysailer	Weekender	Cruiser	Module for altering the boat
INTERIOR					EXTERIOR				
Fitted galley Pack		Optional equipment	standard	Yes	Exterior equipment Pack	standard	standard	standard	Yes
Private forecabin Pack		Optional equipment	standard	Yes	Mooring Pack		Optional equipment	Optional equipment	Not (1)
Aft cabins Pack		Optional equipment	standard	Yes	Outside protection Pack	Optional equipment	Optional equipment	Optional equipment	Yes
Aqua Pack		Optional equipment	standard	Not (1)	Electronic Pack	Optional equipment	Optional equipment	Optional equipment	Yes
Additional stowage in the salon Pack	standard	standard	standard	Yes					
Electricity Pack		Optional equipment	Optional equipment	Not (1)	<i>(1) to be selected following definition of the boat</i>				

"Tailor-made" options:

Rigging - Sails

- Asymmetrical spinnaker rigging
- Self-tacking jib hardware
- Removable forestay + Tackle
- Chain plate (Releasable inner Forestay)
- Electric winch - genoa sheet (H46.2STA EH), instead of standard
- Port electric coachroof winch (H40.STAEH), instead of standard
- Coach roof winch to starboard - manual (H35.2STA) + Clutches, instead of standard
- Asymmetrical spinnaker
- Self-tacking jib (replacing genoa)
- Code 0 on furler
- Anodized mast furling system with mainsail
- Easy Sail (Genoa sheet track leads adjustable from the cockpit, Backstay adjustment - Except on mast with in-mast furling)
- 2 Flag halyards

Hull - Deck - Cockpit

- Inflatable gangway
- Inflatable swimming pool
- Pump for tender or inflatable structure (12 V)
- Mount for the outboard engine - Bracket
- Bow thruster
- Shore freshwater supply
- Sea water foot pump
- 3 Blade folding propeller
- "Window Grey" hull
- Windlass control in cockpit with chain counter - fixed
- 1st bow roller
- 2nd bow roller + Bobstay
- Helm seats
- Solid wood slatted helm seats
- Silver Cockpit cushions
- Cockpit table - Removable (Interior/ Exterior)
- Cockpit table "De Luxe"
- Cockpit table "De Luxe" PVC cover (White)
- Solid wood decking on cockpit bottom + Cockpit benches
- Solid wood slatted aft swim platform
- Cockpit shower

B&G Electronic

- Multifunction B&G Zeus T7 screen, Port cockpit
- Multifunction B&G Zeus T8 screen, Chart table
- Auto pilot B&G AC42 + Remote control
- 4G Radar
- B&G V50 VHF, function AIS receiver + Wireless handset
- AIS 400
- Module - Wifi
- VHF antenna

Interior equipment

- Pre wiring for TV LCD 22" in the salon
- Interior upholstery PVC Taupe (HR35kg/m³ foam)
- Comfort Interior upholstery (Chine Beige or Chine Moka fabric), Salon & Mattress (HR35kg/m³ foam)
- Double berth in salon
- Slatted bed base
- Microwave
- Stainless steel 2 burner gas cooker on gimbaled mounting
- Fuel forced-air heating system
- Air conditioning
- Generator (2 cabin version only)
- Mosquito screens
- 12V inverter
- Electric VacuFlush head (Holding tank: 53 L / 14 US Gal, instead of standard)
- Longchamp hanging luggage (Forward cabin only)
- Accessory set Longchamp (2 shirt covers, 2 toiletry bags)
- Additional stool in salon
- Salon table
- Wood companionway steps
- SonicHub (Radio, USB) - Interior speakers - Outside speakers
- Briefcase
- TV antenna
- VHF antenna

BENETEAU - ZI des Mares - BP 66 - 85270 SAINT HILAIRE DE RIEZ - France. <http://www.beneteau.com>
Head office: SPBI - BP 45 - 85170 DOMPIERRE SUR YON

05/09/2014 Code Beneteau V12226 (L) US Descriptions, illustrations, etc are provided only for your guidance. Our models may undergo some standard modifications or improvements without notice