


Oceanis 35

Provisional General Equipment - USA

Day Sailer



Day Sailer



Week Ender / Cruiser



Week Ender - 2 convertible cabins



Week Ender - 3 convertible cabins



GENERAL SPECIFICATIONS *

• Length overall (Day Sailer)	9,99 m	32'9"
• Length overall (Week Ender & Cruiser)	10,45 m	34'3"
• Hull length	9,97 m	32'9"
• L.W.L.	9,70 m	31'10"
• Hull Beam	3,70 m	12'2"
• Light displacement (Day Sailer - GTE)	5 207 kg	11,476 lbs
• Light displacement (Cruiser - GTE)	5 533 kg	12,195 lbs
• Deep draft	1,85 m	6'1"
• Deep ballast weight	1 559 kg	3,436 lbs
• Shallow draft	1,45 m	4'9"
• Shallow ballast weight	1 825 kg	4,022 lbs
• Air draft	15,45 m	50'8"
• Lifting keel version draft	1,15 m / 2,30 m	3'9" / 7'7"
• Lifting keel version ballast weight	1 995 kg	4,397 lbs
• Freshwater capacity (standard)	130 L	34 US Gal
• Freshwater capacity (optional)	200 L	53 US Gal
• Fuel tank capacity	130 L	34 US Gal
• Engine power (standard)	30 HP	30 HP

STANDARD SAIL LAYOUT AND AREA *

• Mainsail (classic)	27,50 m ²	297 sq/ft
• Genoa (102 %)	26,72 m ²	288 sq/ft
• Asymmetrical spinnaker	83,45 m ²	898 sq/ft
• Code 0	50,9 m ²	548 sq/ft
• Self-tacking jib	25,5 m ²	274 sq/ft
• I	12,45 m	40'10"
• J	4,29 m	14'1"
• P	12,20 m	40'
• E	3,90 m	12'10"

ARCHITECT / DESIGNERS


- Naval Architect: Finot - Conq
- Interior design & Deck: Nauta Design

* Provisional specifications, boat running certification

CE CERTIFICATION *

- Category A - 6 people
- Category B - 8 people
- Category C - 10 people

Cruiser - 2 cabins



Cruiser - 3 cabins



	Day Sailer	Week Ender (Convertible)		Cruiser	
		2C	3C	2C	3C
CONSTRUCTION					
<ul style="list-style-type: none"> Design made following European Directive requirements and according to EC certification Monolithic hull in polyester Monolithic structural hull liner bonded to the hull Deck injection construction in fiberglass and Saerfoam foam sandwich, covered with " diamond-tip " type non-slip surface Hull-deck joint screwed, bonded and trimmed with 1 toerail Cast iron keel fixed with bolts and stainless steel backing plates 2 Underhung rudders with stainless steel stock White colored hull - Hull decorated in metallic grey 	standard	standard		standard	

DECK EQUIPMENT

RIGGING

<ul style="list-style-type: none"> Standard mast 9/10 anodized aluminum installed on the deck, 2 sets of spreaders Anodized aluminum boom Discontinuous stainless steel standing rigging 1 Backstay: Bridle Rigid boom vang Genoa furling system with drum on the deck 2 Genoa tracks with piston adjusted traveller cars 2 Genoa sheet returns stainless steel fairleads Rigging run back to cockpit (except boom topping lift) Complete running rigging: Main halyard, Genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets, 2 Automatic reefing system lines 4 Clutches, 4 Jamming cleats 	standard	standard		standard	
<ul style="list-style-type: none"> Fixed composite arch, with incorporated LED lighting 2 Stand-up blocks for mainsail sheet 	standard	standard		standard	

WINCHES

<ul style="list-style-type: none"> 2 Self-tailing genoa sheet winches (H40.2 STA) 1 Coach roof winch self tailing (H35.2 STA) 2 Aluminium "Speed Grip" winch handles, 2 Winch handle storages 	standard	standard		standard	
--	----------	----------	--	----------	--

SAILS

<ul style="list-style-type: none"> Furling genoa with UV protective strip Semi full batten logo mainsail with slider (Roller slides for fully battened mainsail) Lazy Jack System and Lazy bag in Natural color 	standard	standard		standard	
--	----------	----------	--	----------	--

MOORING - ANCHORING GEAR

<ul style="list-style-type: none"> Self-bailing chain locker - Clench bolt - Hatch cover Stainless steel deck plates 6 Aluminum mooring cleats - Stainless steel deck line protection 	standard	standard		standard	
--	----------	----------	--	----------	--

COCKPIT

<ul style="list-style-type: none"> Self-bailing cockpit 1 Cockpit locker 2 Lockers in cockpit bottom - Side helm seats 1 Liferaft locker - aft cockpit (0,95 m x 0,59 m x 0,36 m / 3'1" x 1'11" x 1'2") Cockpit benches (1,50 m x 0,50 m / 4'11" x 1'8") 2 Steering wheel consoles: Stainless steel steering wheels - 800 mm diameter / 2'7" - Leather covered - Steering gear at the helm station - Metal cable transmission system - Stainless steel handrail - Navigation instrument pod (optional instruments) - Glass holder 2 Steering compass 2 Deck plates to access tiller system 1 Emergency tiller Portside engine control and control panel 2 Hinged PMMA companionway doors - Sliding hatch made of PMMA 1 Swimming ladder Solid wood slatted aft swim platform 	standard	standard		standard	
	Optional equipment			Optional equipment	standard
<ul style="list-style-type: none"> Hot water cockpit shower/Cold water 				Optional equipment	standard

	Day Sailer	Week Ender (Convertible)		Cruiser	
		2C	3C	2C	3C

SAFETY ON DECK

<ul style="list-style-type: none"> 1 Open stainless steel forward pulpit, 2 Stainless steel aft pulpits 1 Ring lifebuoy bracket Double lifelines and stainless steel stanchions Flag mounts welded on aft pushpit 	standard	standard	standard		
---	----------	----------	----------	--	--

SWIM DECK / STERN DECK

<ul style="list-style-type: none"> Fully opening transom, convertible into swim platform (2,60 m x 0,70 m / 8'6" x 2'4") Manually operated with gas cylinder assist 1 Stainless steel integrated telescopic swimming ladder 		standard	standard		
--	--	----------	----------	--	--

INTERIOR ACCOMMODATION

<ul style="list-style-type: none"> Alpi Blond Oak joinery Brown oak laminated floors Fabric lined hull in salon and forecabin Upholstery & Mattress, Dolaro white PVC fabric, Foam density 35 kg/m3 	standard	standard	standard		
---	----------	----------	----------	--	--

SALON

<ul style="list-style-type: none"> Headroom: 1,90 m / 6'3" L-shaped salon bench seat Storage under bench seats High closed storage units Chart table (with opening top) - Reading light Shelves with fiddles 2 Panoramic windows - deckhouse 2 Hull ports 1 Opening deck hatch 	standard	standard	standard		
<ul style="list-style-type: none"> 1 Opening porthole in coaming 6 Overhead lights 					
<ul style="list-style-type: none"> Salon table with one-piece wood top - 2 feet 	Optional equipment	Optional equipment			

	Day Sailer	Week Ender (Convertible)		Cruiser	
		2C	3C	2C	3C

COMPANIONWAY

<ul style="list-style-type: none"> Headroom: 1,85 m / 6'1" GRP salon companionway steps are coated with non-slip surface 2 Leather covered stainless steel handrails 	standard	standard	standard		
---	----------	----------	----------	--	--

HANGING LOCKER - PORTSIDE

<ul style="list-style-type: none"> Beam: 50 cm / 1'8" 	standard	standard	standard		
--	----------	----------	----------	--	--

FORWARD CABIN

<ul style="list-style-type: none"> Headroom: 1,80 m / 5'11" Central double bed (1,75 m x 2,00 m x 0,45 m / 5'9" x 6'7" x 1'6") Drawer under the bed 1 Opening deck hatch with ventilator 2 Hull ports 	standard	standard	standard		
<ul style="list-style-type: none"> 2 Reading lights 					
<ul style="list-style-type: none"> 2 Longchamp hanging luggages 		Optional equipment	standard		
<p>Private version:</p> <ul style="list-style-type: none"> Bulkhead - Access door 		Pack	standard		

	Day Sailer	Week Ender (Convertible)		Cruiser	
		2C	3C	2C	3C

GALLEY - STARBOARD

<ul style="list-style-type: none"> • Headroom: 1,90 m / 6'3" • Laminated worktop - Taupe • 1 Stainless steel sink - 1 Rectangular stainless steel basin - 1 Tap with cold water, under pressure (Day Sailer) - 1 Mixing tap hot water/Cold water (Week-Enders) • Cubby hole locker, Garbage bin • 1 Lower cupboard: 1 Shelving (the fitted refrigerator in the Cuisine Pack version comes in place of this layout) • 1 All-round coachroof window 	standard	standard	standard		
<p>Additional equipment for fitted galley</p> <ul style="list-style-type: none"> • Gas system: Gas cylinder locker - starboard aft cockpit - (25 X 27 X 40 cm / 10" x 11" x 15") - Regulator and solenoid • 1 2 burner stainless steel gas cooktop on gimbale mounts • Unit: (Drawer & Cupboard units) • Fridge - 12 V - 130 L, front opening 		Pack	standard		

STARBOARD AFT

<ul style="list-style-type: none"> • Headroom: 1,75 m / 5'9" • Interior stowage space, for 2 cabin version • Direct access from the salon • Allows direct access to the cockpit locker • Bulkhead with 1 access door • 1 Overhead light, 2 Reading lights • Open shelving • Padded upholstery along the hull • Opening portholes: Roof & Cockpit • Dimensions - Berths: 2,00 m x 1,45 m / 6'7" x 4'9" • 1 Wood hanging locker 	standard	standard		standard	
			standard		standard

	Day Sailer	Week Ender (Convertible)		Cruiser	
		2C	3C	2C	3C

PORT AFT

<ul style="list-style-type: none"> • Headroom: 1,75 m / 5'9" • Bulkhead with 1 access door • 2 Reading lights • 1 Overhead light • Open shelving • Padded upholstery along the hull • Opening portholes: Roof & Cockpit • 1 Wood hanging locker 	standard	standard	standard		
<ul style="list-style-type: none"> • Dimensions - Berth (2 cabins version) : 1,73 m x 1,98 m / 5'8" x 6'6" • Dimensions - Berth (3 cabins version): 1,45 m x 2,00 m / 4'9" x 6'7" 		standard		standard	
			standard		standard

STARBOARD AFT HEAD COMPARTMENT

<ul style="list-style-type: none"> • Headroom: 1,90 m / 6'3" • Access through salon • 1 Sink, 1 Tap with cold water, Shower • 1 Manual marine toilet • Washroom cabinet, 1 Mirror, Toilet accessories, Hook • 1 Opening portlight with curtains in side windows in the coaming • 1 Mixing tap hot water/Cold water • 1 Overhead light 	standard	standard	standard		

	Day Sailer	Week Ender (Convertible)		Cruiser	
		2C	3C	2C	3C
ENGINE					
• Engine Yanmar Diesel 20 hp / 20 HP Sail Drive	standard	standard	standard	standard	standard
• Engine Yanmar Diesel 30 hp / 30 HP Sail Drive	Optional equipment	Optional equipment	Optional equipment	Optional equipment	Optional equipment
<ul style="list-style-type: none"> • Engine control - Control panel in cockpit • Engine compartment: Soundproofing foam - Ventilation: 2 air intakes and 1 powered air expulsion • 1 Alternator - 12 V / 125 Ah • 1 Rotomoulded diesel tank 130 L / 34 US Gal - Gauge at the chart table - 1 Deck filler • Filters: Sea water - Diesel - Decanter • Fixed three blade propeller • 1 Engine access through companionway - 3 access to engine by the sides of the companionway 	standard	standard	standard	standard	standard

ELECTRICITY					
• Advanced 12 V circuit					
<ul style="list-style-type: none"> • 1 Service battery (80 Ah) - 1 Engine battery (80 Ah) • 1 Load balancer • 12 V electrical panel • 1 12 V Power outlet • Navigation lights: 1 Navigation light - 1 Steaming light for motoring - 1 Mooring light on masthead • Wire runs for options cables 	standard	standard	standard	standard	standard
<ul style="list-style-type: none"> • Full 12 / 115 V system: Inside sockets, 40 Amp battery charger, Shore power socket • 2 80 Amp additional service batteries • Navigation light & Interior lights LED 			Pack	Pack	

	Day Sailer	Week Ender (Convertible)		Cruiser	
		2C	3C	2C	3C
PLUMBING					
<ul style="list-style-type: none"> • 1 Rotomolded freshwater tank (130 L / 34 US Gal) • 1 Deck filler • Water unit • 1 Rigid holding tank 80L / 21 US Gal • Electric pump & Shower draining • 1 Electric bilge pump - 1 Manual bilge pump • Water heater (25 L / 7 US Gal) - engine run (115 V, Electricity Pack) • Plumbing board + Expansion tank 	standard	standard	standard	standard	standard

Packs

	Day Sailer	Week Ender	Cruiser
Fitted galley Pack		Optional equipment	standard

- Gas system: Gas cylinder locker - starboard aft cockpit (25 x 27 x 40 cm / 10" x 11" x 15") - Regulator and solenoid
- 1 2 burner stainless steel gas cooktop on gimballed mounts
- Unit (Drawer & Cupboard units)
- Fridge 12 V - 130 L, front opening

Private forecabin Pack		Optional equipment	standard
-------------------------------	--	--------------------	----------

- Bulkhead - Access door

Night pack		Optional equipment	Optional equipment
-------------------	--	--------------------	--------------------

- Curtains for hull portholes (Forward cabin and Salon)
- Curtains for all-round coachroof window
- Mosquito screens, in the salon and in the aft cabin
- Blackout blind mosquito for deck hatch (Forward cabin and Salon)

Aqua Pack		Optional equipment	standard
------------------	--	--------------------	----------

- Cold water / hot water
- Water heater - 25 L / 7 US Gal - engine run (+ 110 V if Electricity Pack)
- Additional freshwater supply tank - 200 L / 53 US Gal
- Hot/cold cockpit shower
- Plumbing board + Expansion tank
- Separate shower (to starboard for 2 cabin version)

Additional stowage in the salon Pack	Optional equipment	Optional equipment	standard
---	--------------------	--------------------	----------

- High closed storage units (Salon - portside, Starboard)
- Chart table (with opening top)

	Day Sailer	Week Ender	Cruiser
Electricity Pack		Optional equipment	Optional equipment

- Full 115 V system: 5 Inside sockets, 40 Amp battery charger, Shore power socket
- 2 80 Amp additional service batteries
- Navigation light & Interior lighting - Indirect - LED

Mooring Pack	Optional equipment	Optional equipment	Optional equipment
---------------------	--------------------	--------------------	--------------------

- Electric windlass - 1000 W + Remote control
- Bow roller
- Mooring kit (Anchor-Chain-Line)

Outside protection Pack	Optional equipment	Optional equipment	Optional equipment
--------------------------------	--------------------	--------------------	--------------------

- Docklines
- Fenders
- White PVC protective covers (Steering wheel consoles)
- 2 Halyard bags

Electronic Pack	Optional equipment	Optional equipment	Optional equipment
------------------------	--------------------	--------------------	--------------------

Pack A

- SonicHub stereo with Bluetooth
- 1 Display T41 Triton B&G
- Wind system B&G
- V50 VHF B&G, integrated AIS receiver function + Wireless handset

Pack B

- Chartplotter Zeus 7
- Cartography B&G US
- B&G wifi module

	Day Sailer	Week Ender	Cruiser	Module for altering the boat		Day Sailer	Week Ender	Cruiser	Module for altering the boat
INTERIOR					EXTERIOR				
Fitted galley Pack		Optional equipment	standard	Yes	Mooring Pack	Optional equipment	Optional equipment	Optional equipment	Not (1)
Private forecabin Pack		Optional equipment	standard	Yes	Outside protection Pack	Optional equipment	Optional equipment	Optional equipment	Yes
Night pack		Optional equipment	Optional equipment	Yes	Electronic Pack	Optional equipment	Optional equipment	Optional equipment	Yes
Electricity Pack		Optional equipment	Optional equipment	Not (1)	<i>(1) to be selected following definition of the boat</i>				

"Tailor-made" options:

Rigging - Sails

- Asymmetrical spinnaker rigging + Code 0 Rigging + 2nd bow roller and Bobstay
- Self-tacking jib hardware
- Electric winch - genoa sheet (H40.2 STAEH), instead of standard
- Port electric coachroof winch (H40.2 STAEH), instead of standard
- Coach roof winch to starboard - manual (H35.2STA) + Clutches
- Asymmetrical spinnaker
- Self-tacking jib (replacing genoa)
- Code 0 on furler
- Anodized mast furling system with mainsail
- Genoa sheet track leads adjustable from the cockpit
- Backstay adjustment - Except on mast with in-mast furling
- 2 Flag halyards

Hull - Deck - Cockpit

- Ballasted boat version - Centreboard cast iron
- Inflatable gangway
- Inflatable swimming pool
- Pump for tender or inflatable structure (12 V)
- Mount for the outboard engine - Bracket
- Shore freshwater supply
- 3 Blade folding propeller
- Pearl Grey hull
- Windlass control in cockpit with chain counter - fixed
- Solid wood slatted helm seats
- Silver Coachroof sprayhood
- Silver Cockpit bimini
- Dark Narval Cockpit cushions
- Cockpit table - Removable (Interior/ Exterior)
- Cockpit table "De Luxe"
- Cockpit table "De Luxe" PVC cover (White)
- Benches + Solid wood decking on cockpit bottom
- Solid wood slatted side decks
- Rub rail

B&G Electronic

- Multifunction B&G Zeus 7" wide screen, Port cockpit
- Auto pilot B&G AC42 + Remote control
- B&G V50 VHF, function AIS receiver + Wireless handset
- Module - Wifi
- AIS 400
- VHF antenna

Interior equipment

- Pre wiring for TV LCD 20" in the salon
- Comfort Interior upholstery (Chine Moka or PVC Taupe fabric), Salon & Mattress (HR35kg/m³ foam)
- Double berth in salon
- Slatted bed base
- Stainless steel 2 burner gas cooker on gimballed mounting (instead of standard)
- Microwave
- Fuel forced-air heating system
- Air conditioning
- Generator (for 2 cabin version, only)
- 12V inverter
- Electric Quiet Flush head
- Longchamp hanging luggages
- Accessory set Longchamp (2 shirt covers, 2 toiletry bags)
- 1 Additional stool in salon
- Salon table
- Salon table extension
- Separate shower (to starboard for 2 cabin version, standard in weekender and cruiser)
- Wood companionway steps
- Separation curtain (Salon / Forward cabin)
- Sea water foot pump
- Electric crank (Lifting keel)
- Additional freshwater supply tank (200 L / 53 US Gal)

BENETEAU - ZI des Mares - BP 66 - 85270 SAINT HILAIRE DE RIEZ - France. <http://www.beneteau.com>
Head office: SPBI - BP 45 - 85170 DOMPIERRE SUR YON

15/09/2014 Code Beneteau V12305 (B) US Descriptions, illustrations, etc are provided only for your guidance. Our models may undergo some standard modifications or improvements without notice

