

GENERAL SPECIFICATIONS*

• Length overall - max (Bowsprit + Davits)	18,97 m	62'3"
• Length overall - standard	18,24 m	59'10"
• Hull length	17,75 m	58'3"
• L.W.L.	16,43 m	53'11"
• Hull Beam	4,99 m	16'9"
• Deep draft	2,70 m	8'10"
• Deep ballast weight	6 435 kg	14,187 lbs
• Shallow draft	2,20 m	7'3"
• Shallow ballast weight	7 150 kg	15,763 lbs
• Air draft	27,50 m	90'3"
• Light displacement (EC)	22 051 kg	48,600 lbs
• Fuel tank capacity (standard)	480 L	127 US Gal
• Fuel tank capacity (Optional equipment)	600 L	159 US Gal
• Freshwater capacity (standard)	708 L	187 US Gal
• Freshwater capacity (Optional equipment)	330 L	87 US Gal
• Engine power	140 HP	140 HP

ARCHITECT / DESIGNERS

- Naval Architect : Berret Racoupeau Yacht Design
- Interior design : Nauta Design

CE CERTIFICATION

- Category A - 12 people
- Category B - 13 people
- Category C - 14 people

STANDARD SAILS DIMENSIONS

• Mainsail (classic)	87,70 m ²	944 sq ft
• Furling mainsail (optional)	73,00 m ²	786 sq ft
• Genoa (120 %)	90,00 m ²	969 sq ft
• Asymmetrical spinnaker (optional)	248,00 m ²	2,670 sq ft
• Staysail (optional)	48,00 m ²	517 sq ft
• I	23,65 m	77'7"
• J	6,88 m	22'7"
• P	22,90 m	75'2"
• E	6,90 m	22'8"



1 Forward cabin - 1 Head, 2 Aft cabins - 2 head compartments + Forepeak cabin (optional)



2 forward cabins - 2 head compartments, 2 Aft cabins - 2 head compartments + Forepeak cabin (optional)

* Provisional specifications, boat running certification



BENETEAU

Oceanis 60

Provisional General Equipment - USA

STANDARD EQUIPMENT

CONSTRUCTION

Design made following European Directive requirements and according to EC certification

- Monolithic hull in polyester
- Monolithic structural hull liner laminated and bonded to the hull
- Deck in balsa and glass fiber sandwich covered in «diamond point» type non-slip surface
- Deck hull joint bonded and screwed, with 1 solid wood toerail
- Cast iron keel fixed with bolts and stainless steel backing plates
- Rudder hung with glass compound stock
- White colored hull - Grey metal hull decoration

DECK EQUIPMENT

RIGGING

- Standard 9/10 anodised aluminium mast - keel stepped - 3 Aft swept spreaders - Traveller MDS
- Retractable steps on mast
- Anodized aluminum boom
- Discontinuous stainless steel standing rigging
- Double backstay with turnbuckles
- Rigid boom vang
- Manual Genoa furler - Drum on deck
- 2 Standup blocks on mainsheet arch
- 2 Genoa tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Complete running rigging: Main halyard, Genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets - 2 Automatic reefing line - 1 Manual
- 11 Line stoppers
- 6 Jamming cleats
- Pre-fitting for spinnaker (6 pad eyes and clutches)
- Windex Windvane

WINCHES

- 2 Self-tailing genoa sheet winches (H70.2 STC)
- 2 Self tailing coachroof winches (H46.2 STC)
- 2 Winch handles Speedgrip
- 2 Winch handle holders

SAILS

- Dacron furling genoa
- Full batten dacron mainsail with Beneteau logo
- Lazy-jacks - Lazy bag Colour Natural

MOORING - ANCHORING GEAR

- Self-draining chain locker
- Hatch giving access to chain locker in sail locker / Forepeak cabin
- Stainless steel bow fitting 2 rollers - Asymmetric spinnaker tack point - Stainless steel bobstay
- 24 V - 2000 W Vertical electric windlass - Remote control
- 8 Stainless steel mooring cleats - Stainless steel deck line protection

SAIL LOCKER

- Access through deck hatch
- Stainless steel ladder - Solid wood steps
- 2 Cubby hole lockers

SAFETY ON DECK

- 1 Open stainless steel forward pulpit - Step
- 2 Stainless steel aft pushpits
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- 2 Flag mounts welded on aft pushpit
- Double lifelines and stainless steel stanchions - Access to port and to starboard in lifelines
- 2 Stainless steel handrails on deck
- 2 Stainless steel handrails on fixed arch
- 2 Stainless steel grabrails on the cockpit coaming
- 2 Stainless steel handrails, Helm seats

COCKPIT

- Self-bailing cockpit
- 2 Lockers under helm seat - Gas cylinder opening
- 2 Rope lockers - Step plate in front of steering station
- Natural solid wood slatted cockpit benches
- 2 Steering wheel consoles: Steering wheel stainless steel - 1 100 mm / 3'7" diameter - Leather covered - Brake bar - Steering Gear on partition - Metal cable transmission system - Navigation instrument pod (optional instruments) - Steering compass on consoles - Stainless steel glass holder - Stainless steel handrail
- 2 Helm seats
- Deck plate for access to tiller system - 1 Emergency tiller
- Engine throttle and control panel to starboard
- Solid wood cockpit table - 2 Flaps - guy wash boards - Glove boxes - bottle holder - 12 V Power outlet - Lamp with shade - Switch - Cover
- 2 Water-proof speakers below arch
- Lamps LED under arch
- Folding companionway door and PMMA sliding companionway hatch - Electric locking system

AFT COCKPIT

- Open access protected by stainless steel lifelines - 1 Stainless steel door
- Natural solid wood sole on swim platform
- 1 Liferaft locker on starboard side - Gas cylinder opening (0,90 m x 0,34 m x 0,58 m / 2'11" x 1'1" x 1'11")
- Tender room
- 24V electric
- 1 Gas locker on port side - Gas cylinder opening
- 2 Watertight lockers at the bottom on the dinghy storage space
- 1 Central storage compartment at the bottom on the dinghy storage space
- 1 Stainless steel, retractable swim ladder - Solid wood steps
- 1 Hot and cold cockpit shower
- 1 220 V Shore power supply
- Lounge area behind the helm
- Ladder to access the swim platform (articulating)

INTERIOR

- Woodwork Alpi Mahogany
- Parquet type laminated floors
- Cushions
- Ceiling panels, bulkhead, hull liner covered with PVC fabric

**COMPANIONWAY**

- Headroom: 2,08 m / 6'10"
- Wooden companionway with steps in molded wood with non-slip surface
- Stainless steel stairway handrails - Leather covered
- Canopy - with shade

Version: 1 forward cabin**FORWARD CABIN**

- Headroom: 2,10 m / 6'11"
- Central double bed (2,05 x 1,22 m - 1,66 m / 6'9" x 4' - 5'5") - Slatted bed base - Marine mattress
- Night tables - Cubby hole lockers - Drawers - Glove boxes - Lockers under the bed (Gas cylinder opening)
- Wardrobe - Cupboard - Shoe cabinet
- 1 Dressing table with mirror - 1 Removable seat
- Hallway mirror
- 2 Hull portholes with blackout curtains
- 3 Opening hatches with blackout blind / Mosquito screen

STARBOARD FORWARD HEAD COMPARTMENT

- Headroom: 2,00 m / 6'7"
- Private washroom accessible from forward cabin
- Separate shower: Shower tray complete - Shower mixer tap hot/ Cold water - Shower screen
- Manual marine toilet
- Sink - Synthetic resin worktop - Mixing tap hot water/Cold water
- 2 Mirrors
- Toilet accessories
- Cupboard units - Cubby hole lockers
- 1 Opening hatch with sunshades/Mosquito screen

Version: 2 forward cabins**FORWARD CABINS**

- 2 Symmetrical cabins
- Headroom: 2,07 m / 6'9"
- Double bed (2,05 x 1,50 m / 6'9" x 4'11") - Slatted bed base - Marine mattress
- Hanging locker - Cubby hole lockers - Drawer - Glove boxes
- Hallway mirror
- 1 Hull porthole with blackout curtain
- 1 Opening hatch with sunshades/Mosquito screen

FORWARD HEAD COMPARTMENT

- Symmetrical bathrooms
- Headroom: 2,00 m / 6'7"
- Private bathrooms accessible from forward cabins
- Separate shower: Shower tray complete - Shower mixer tap hot/ Cold water - Shower screen
- Manual marine toilet
- Sink - Synthetic resin worktop - Mixing tap hot water/Cold water
- Mirror
- Toilet accessories
- Cupboard - Cubby hole locker
- 1 Opening hatch with sunshades/Mosquito screen

SALON

- Headroom: 2,03 m / 6'8"
- U-shaped salon bench - Fabric upholstery
- Retractable central seat - Fabric upholstery
- Swivel foldaway salon wood table - Laquered table top and inlay - Integrated bar
- Sofa with armrests
- Cupboard units - Cubby hole lockers and storage along the hull - Storage space under seats and sofa
- Bottle cabinet behind port settee
- 1 Panoramic glazing with blackout blinds / Mosquito screens
- 2 Hull portholes with blackout curtains
- 2 fixed deckhouse side windows with pleated blinds
- 4 Opening portholes in fixed side windows

CHART TABLE - STARBOARD

- Control console with flap - Glove boxes - Storage - Molded wood beading
- Helmsman seat with cushion and backrest
- Hinged backlit electrical panel (to allow access to electrical connections)
- Navigation instrument panel (optional instruments)
- Radio CD player/Stereo MP3 - 2 Loudspeakers
- 1 Oilskins locker - 3 drawers cabinet

GALLEY - PORTSIDE

- Headroom: 2,05 m / 6'9"
- U-shaped galley
- Synthetic resin worktop
- Rectangular stainless steel sink - Rectangular stainless steel drainer - Cutting board in solid wood
- 1 Shower-hose mixer-tap cold / hot water
- 1 Gas stove 3 burners, Stainless steel grill and oven on gimbal mountings - Stainless steel protection handrail
- 1 Fridge 130 L, 24 V Refrigeration unit, 2 speed compressor, front opening
- 1 Cooler 100 L, Conservator, Freezer, top opening
- Drawers with slides and buffers, Cupboard units, equipped lockers (shelves with fiddles for plate storage, tea towel holder, bottle holder)
- Integral trash container
- 1 Opening porthole with blackout curtain

STARBOARD AFT CABIN

- Headroom: 1,90 m / 6'3"
- 2 single beds, can be joined to make a double bed (2,00 x 0,86 m + 2,00 x 0,80 m / 6'7" x 2'10" + 6'7" x 2'07") - Slat mattresses - Marine mattress
- Hanging locker - Cubby hole lockers - Glove boxes
- 1 Dressing table with mirror
- Hallway mirror
- 1 Opening porthole on cockpit with blackout curtain
- 1 Opening porthole with blackout curtain
- 1 Window to transom with blackout curtain
- 1 Opening porthole towards transom



STARBOARD AFT HEAD COMPARTMENT

- Headroom: 2,05 m / 6'9"
- Private head compartment accessible from starboard aft cabin
- Separate shower: Shower tray complete - Shower mixer tap hot/ Cold water - Shower screen
- Manual marine toilet
- 1 Rigid holding tank 80L / 21 US Gal
- Sink - Synthetic resin worktop - Mixing tap hot water/Cold water
- Mirror
- Toilet accessories
- Cupboard - Cubby hole locker
- 2 Opening portholes with curtain

PORT AFT CABIN

- Headroom: 1,90 m / 6'3"
- 1 Double bed (2,05 x 1,40 m - 1,53 m / 6'9" x 4'7" - 5) - Slatted bed base - Marine mattress
- Hanging locker - Cubby hole lockers - Glove boxes
- Hallway mirror
- 1 Opening porthole on cockpit with blackout curtain
- 1 Opening porthole with blackout curtain
- 1 Window to transom with blackout curtain
- 1 Opening porthole towards transom

PORT AFT HEAD COMPARTMENT

- Headroom: 2,05 m / 6'9"
- Head compartment accessible from the port aft cabin and from the saloon
- Separate shower: Shower tray complete - Shower mixer tap hot/ Cold water - Shower screen
- Manual marine toilet
- 1 Rigid holding tank 80L / 21 US Gal
- Sink - Synthetic resin worktop - Mixing tap hot water/Cold water
- Mirror
- Toilet accessories
- Cupboard units - Cubby hole locker
- 1 Opening porthole with curtain

ENGINE

- Engine 140 HP / HP Volkswagen
- Engine electrical control and panel in the starboard cockpit
- Engine compartment: Foam soundproofing - Ventilation: 1 air intake and 1 air outlet
- 1 Alternator 12 V: 120 Amperes
- 1 Alternator 24 V: 80 Amperes
- 2 Roto moulded diesel tanks (240 l / 63 US Gal under aft berth to port + 240 l / 63 US Gal under aft berth to starboard) - Electronic gauge - 2 Deck fillers - Tank selection with ¼ by-pass valves
- Filters: Sea water - Diesel - Decanter
- Stainless steel shaft line
- 3 Blade folding propeller
- 1 Engine access through companionway (Opening by 2 gas cylinders) - Engine access through passageway and aft cabins

ELECTRICITY

- 12 V Circuit
- 24 V Circuit
- 230 V Circuit
- Ducts with messenger lines for electric cables or future upgrades
- 1 230 V Electrical panel: Breaker - Voltmeter
- 1 115 V Electrical panel: Breaker - Voltmeter
- 1 12 V 24 V Electrical panel: Breaker - Voltmeter - Water gauge - Fuel gauge - 24 V Charging current and consumption current measurement
- Electrical equipment controls located in aft port cabin

12 V Circuit

- Standard equipment: 12 V power outlet, Hifi
- Optional equipment: Hifi, Electronic
- 1 12 V - 110 Amperes engine battery
- 1 12 V - 110 Amperes service battery
- Battery switch (Port passageway)
- 12 V Load balancer
- 1 12 V - 25 Amperes engine battery charger
- 2 12 V Power outlets (Chart table x 1 - Cockpit table x 1)

24 V Circuit

- Standard equipment: Electric windlass - Pumps - Navigation lights - Lighting - Refrigeration units
- Optional equipment: Bow thruster
- 1 24 V - 280 Amperes service battery set (4 x 12 V - 140 Amperes batteries)
- Battery switch (Port passageway)
- 24 V Load balancer
- 1 24 V - 60 Amperes engine battery charger

115 V Circuit

- Standard equipment: Sockets 115 V
- Optional equipment: Microwave oven - Water maker - Ice maker - Washing machine - Dishwasher
- 115 V power outlet:
 - Version 3 cabins: 21 Sockets: 115 V 60 Hz (Forward cabin x 5 - Fore washroom x 1 - Port salon x 2 - Galley x 2 - Chart table x 4 - Port aft cabin x 2 - Port aft head compartment x 1 - Starboard aft cabin x 3 - Starboard aft head compartment x 1)
 - Version 4 cabins: 19 Sockets: 115 V 60 Hz (2 Forward cabins x 2 - Port salon x 2 - Galley x 2 - Chart table x 4 - Port aft cabin x 3 - Starboard aft head compartment x 1)

230 V Circuit

- Water heater
- Electric oven/cooker
- Air conditioning
- Cooker hood

Lighting

- Interior lights LED:
 - Overhead lights, Indirect lighting, Adjustable wall-mounted luminaires and reading lamps
 - Courtesy lamps in wardrobes
- Outside lighting:
 - LED: Lamps under arch
 - Incandescent: Deck light at mid mast, Spreaders spotlight, Lamp on cockpit table with shade
- Navigation lights LED - Control on chart table and on starboard helm
 - 1 Mooring light at mast top
 - 1 Automatic steaming light at mid mast
 - 1 Port navigation light, 1 Starboard navigation light on bow
 - 1 Sternlight on pushpit to starboard



BENETEAU

Oceanis 60

Provisional General Equipment - USA

PLUMBING

- 2 Rotomolded freshwater tanks (2 x 324 l / 2 x 86 US Gal in saloon inner moulding) - 2 Deck fillers - Tank selection with ¼ by-pass valves
- Waterpressure system - Expansion tank - Inline filter
- 60 L / 16 US Gal Electric water heater
- 1 Rigid holding tank 80L / 21 US Gal (Port and starboard aft toilets)
- Automatic electric shower drain pumps - time delay
- 2 Electric bilge pumps - 1 Manual bilge pump
- 1 Electric ice box drain pump

GAS

- Gas cylinder(s) locker in port aft skirt
- Regulator and solenoid



TRIM LEVEL

	AVANTAGE	ELEGANCE
B&G Electronic - Helm consoles to port and starboard : 1 Multifunction Zeus 7" wide screen (GPS - Chart plotter - Chart reader - Cartography Navionics Silver included)	■	■
B&G Electronic : Wind Sensor (Windvane, Anemometer)	■	■
B&G Electronic : Sensor (Log - Speedometer - Temperature)	■	■
B&G Electronic : Wifi interface	■	■
Bowsprit, with integral anchor stowage, Bobstay	■	■
Releasable fore-stay chain-plate	■	■
Cockpit sole natural solid wood	■	■
1 Port electric coachroof winch H46.2 STCEH	■	■
Extra diesel tanks (2 x 300 L / 2 x 79 US Gal in salon)	■	■
Extra water tank (330 L / 87 US Gal Under the bed forward)	■	■
Sonic Hub + Speakers (BOSE ACOUSTIMASS® 3) - Waterproof exterior speakers	■	■
Shore freshwater supply	■	■
Galley: Freshwater filter	■	■
Galley: Exhaust fan	■	■
Galley: Electric pump - Sea water	■	■
Version 3 cabins: Electric toilet - Forward toilet	■	■
Version 4 cabins: Electric toilet - Aft starboard toilet	■	■
24 V Circuit: 2 Service batteries (4 x 140 Amperes - 12 V) + 60 Amperes Additional battery charger	■	■
Pump for deck washing		■
Safe		■
Chart table: Universal recharging station (Cellphone, MP3, GPS, PDA, etc...)		■
Chart table: Drawer refrigerator - 95 L		■
Leather-covered doors and glove compartment - 2 Glove boxes in front of the steering wheel		■
Extra movable table		■
Inverter 2000 W - 24 V / 115 V		■
Electric lateral blinds for salon		■
Powered entrance door - 2 Remote controls		■
Storage space(s) under the floor		■

OPTION PACK

	EASY DOCKING	ELECTRONIC B&G
Bow thruster	■	
2 Steering wheels covers + console covers	■	
Windlass control in cockpit with chain counter	■	
Fender covers	■	
4 Mooring ropes, Anchoring gear, 8 Fenders	■	
Chart table: Multifunction NSO 16" B&G screen (GPS - Chart plotter - Chart reader - Cartography NAVIONICS SILVER included)		■
Remote Keyboard B&G ZC1-Series		■



OTHER OPTIONS

Navigation electronics B&G

- WR 20 Wireless autopilot remote control
- High definition digital radar (radome only) 4G
- AIS 400 (Transmitter - Receiver)
- AC42 auto pilot + Control at steering station
- Cockpit table: Additional touchscreen multifunction screen Zeus 12" wide
- Chart table: Fixed RS 90 VHF, function AIS receiver, RS 90 handset + H50 cockpit handset

Rigging - Sails

- Anodized mast with in-mast furler for Taffetas tri-radial cut mainsail
- Anodised furling mast with Hydranet Mainsail and Genoa
- Electric genoa furling system
- Hydranet tri-radial cut mainsail and genoa, for classical mast (instead of standard)
- Hydranet self-tacking jib (replacing genoa)
- Hydranet Self-tacking staysail with manual furling + Fixed forestay
- Hydranet self-tacking staysail with electric furling + Fixed forestay
- Releasable fore-stay chain-plate
- Laminated Mylar Taffetas (code0) with furling drum
- Asymmetrical spinnaker
- Asymmetrical spinnaker rigging + Code 0 Rigging
- Self-tacking jib hardware
- 2 Flag halyards
- Genoa sheet track leads adjustable from the cockpit
- Hydraulic backstay*
- Rope cutter
- Park Avenue boom

⁽¹⁾ Except on mast with in-mast furling

Winches

- Electric coach roof winch (Starboard) H46.2 STCEH
- Electric genoa sheet winches H70.2 STCEH

Forepeak cabin - In place of the sail locker

- Access through deck hatch (with ventilation) - Stainless steel ladder, Solid wood steps
- Headroom: 1,93 m / 6'4"
- 2 Bunk berths (Bottom bunk 1,95 x 0,65 m - 0,44 m / 6'5" x 2'2" - 1'5" - Folding upper bed 1,95 x 0,65 m - 0,55 m / 6'5" x 2'2" - 1'10") - Foam mattress - PVC cover
- Hanging locker - Storage locker - Cupboard
- Manual toilet - Sink - Shower head mixer tap, hot water/Cold water - Shower tray

Hull - Deck

- Pearl Grey hull
- Blue-grey hull
- Metallic hull paint
- Solid wood slatted side decks
- Solid wood decking on coachroof
- 2nd arch with davits and instrument base
- 2nd arch with davits, solar panels + wind turbines
- Gangway - Hydraulic crane
- Tender (2,40 m / 3 persons)
- Gangway ladders
- Blue Jean's Coachroof sprayhood
- Cockpit Bimini top + Side panels (Blue Jean's)
- High comfort cockpit upholstery (2 Comfort Dark Narval seats, 10 Carton Sky pillows)
- High comfort aft cockpit extension upholstery (Dark Narval sunbeds, 5 Carton Sky pillows)
- White composite steering wheels
- Underwater lights (x2)

Interior equipment

- 100 L/H Water maker
- 21.5 KVA Generator / 230 V / 60 Hz
- Gel batteries
- Water heater system
- Chilled water air-conditioning unit 230 V
- All-electric galley - 230 V (Oven + Plate)
- 115 V Microwave oven
- Dishwasher - 6 people 115 V
- Washer dryer 115 V
- 115V Ice maker
- Electric toilet
- Additional holding tank
- TV LED 32" TV in salon - Player Fusion (Bluetooth, USB, DVD, MP3) in the salon
- TV LED 22" fixed in master cabin
- Pure Brown carpet
- Padding to cabins in Taupe (forward and aft) or Anthracite Grey (aft)
- Anthracite grey padded lining in saloon
- White ceruse oak laminate flooring
- Varnished floorboards
- High Gloss Alpi Mahogany Mahogany
- Interior upholstery: Fabric, Leather, Ultraleather - according to swatches