



**BENETEAU**

# Swift Trawler 35

General Equipment list - North America

## GENERAL SPECIFICATIONS



• Overall Length (L.O.A):	11,29 m	37'0"
• Hull length:	10,81 m	35'6"
• Overall width:	4,03 m	13'3"
• Hull Beam:	3,96 m	13'
• Light displacement (EC):	8 252 kg	18,187 lbs
• Air draft (max):	5,50 m	18'1"
• Draft:	1,17 m	3'10"
• Fuel tank:	800 L	211 US Gal
• Water tank:	2 x 150 L	2 x 40 US Gal
• Maximum engine power:	1 x 425 HP	1 x 425 HP
• Max engine certification:	425 HP	425 HP

## ARCHITECTS / DESIGNERS

- Naval Architect: BENETEAU POWER
- Exterior and interior design: ANDREANI DESIGN

## CE CERTIFICATION

- Category B - 8 people
- Category C - 10 people
- Category D - 11 people





## STANDARD EQUIPMENT

### CONSTRUCTION

#### HULL

Composition:

- Sandwich (polyester resin - fiberglass / balsa core)
- White gel coat
- Structural hull counter molding in monolithic laminate (polyester resin - fiberglass)

Profile:

- Semi-planning hull

#### DECK

Composition:

- Sandwich (polyester resin - fiberglass / balsa core)
- Structural counter molding in monolithic laminate (polyester resin - fiberglass)
- White gel coat
- Diamond tip type non-slip surface

### AMBIANT LIGHTING

- Alpi Teck interior woodwork
- rovere Parquet type laminated floorboards
- efficiency® fabric Libra 07 settee interior cushions
- Nautilus Asparagus PVC pilot bench seat interior cushions (except leather and ultra leather)
- Nautilus asparagus PVC removable galley interior cushions
- Hitch Avalanche/Seashell PVC filtering foam flybridge exterior cushions
- Interval 22 opaque inside curtains

### DECK EQUIPMENT

Gangway door to starboard

#### MOORING - ANCHORING GEAR

- Stainless steel bow fitting
- Stainless steel bow roller and swing
- 10 Mooring cleats (L 300 mm / 12")
- Stainless steel gunwale guards
- 1 Mooring locker with self-bailer - Hood cover
- Electric windlass

#### SAFETY ON DECK

- Handrails in cockpit
- Stainless steel open pulpit

#### COCKPIT

- Self-bailing cockpit
- 1 Locker in cockpit bottom gas piston assisted and lockable
- Gas cylinder locker
- Cockpit shower hot/cold water
- Place on the ceiling for integration of the aft closing
- Cockpit seat with PVC upholstery
- 3 door opening transom
- 1 Stainless steel, removable swim ladder
- 1 Access door to the side deck from the cockpit
- Water filling drain plug
- Grey water drain filler (Option)
- Shore power socket (110V)
- 2 Waterproof speakers
- Glass rack

### FLY BRIDGE

- Flybridge self-bailing
- Stainless steel access ladder to the flybridge with wooden steps and stainless steel handrails, vertical folding
- Polyester trap door with gas piston
- PMMA tinted windscreen
- Stainless steel pulpit surrounding aft of flybridge
- Stainless steel access to flybridge with flag holder, all horizon light, places for VHF aerial and radar
- Pilot console with control panel including: Electric engine controls, Electric windlass control\*, Thruster\* and Trim tab
- Fuel gauge indicator
- Rudder angle indicator
- Space for navigation electronics
- Steering wheel stainless steel
- Steering compass
- Hydraulic steering
- Fog horn
- 12 V Power outlet
- Glass rack
- 1 Adjustable pilot seat - PVC upholstery
- Flybridge saloon on port side consisting of a U-shaped bench seat with built-in storage and a removable solid wood table
- Filtering foam PVC upholstery
- Set of flybridge covers

\* according to options

### INTERIOR

#### SALON

Headroom: 1,96 m / 6'5"

- Sofa convertible into double berth (1,20 x 2,00 m / 3'11" x 6'7")
- Height adjustable fold down salon table in varnished wood
- 2 Aluminium director's chairs
- Storage cupboards
- Shelving unit
- 3 Leaf aft sliding door with black lacquered aluminium frame
- 2 Speakers, in wheelhouse
- Inside curtains around the wheelhouse
- Salon / galley separation interior curtain
- TV Pre-wiring: Socket + Double aerial socket (land digital / satellite) + Salon / cabin digital aerial distributor
- DVD Player Fusion<sup>R</sup> AV750

#### GALLEY

Headroom: 1,96 m / 6'5"

U-shaped galley - Includes:

- Countertop
- 2 Stainless steel sinks with covering flap, hot and cold water mixer pressure tap
- 2 Hob cooker and gas oven
- Front opening refrigerator - 130 L / 4.5 Cu.ft (supplied by 12V)
- Cutlery drawer
- Storage
- 110V Sockets
- Garbage bin
- Removable cushion on counter-top



## STEERING STATION

- Two-seater pilot and copilot bench - PVC upholstery
- Removable floor step
- Storage under pilot bench
- Sliding side bay window with 1 opening panel with direct access to the starboard side deck
- Clear glass windscreen with aluminium frames, black lacquered
- 3 Electric windscreen wipers with synchronizing system
- Windscreen washer
- Defogger
- Opening dashboard console with large place to receive the navigation electronics
- Engine dials: Revolution counter, Fuel gauge, Warnings, Rudder angle indicator, Trim tab indicators
- Electric windlass control\*
- Remote control "Bow and stern thrusters"
- Navigation lights
- Fog horn
- Engine control
- Leather covered steering wheel
- Steering compass
- 12 V Power outlet
- 2 Cup holders

\* according to options

## HEAD (STARBOARD)

Headroom: 1,92 m / 6'4"

- Mirror
- Towel rack under top
- Upper cupboard, Lower unit
- Socket
- 1 Opening porthole with curtain
- Quiet Flush deluxe electric toilet with freshwater / seawater switch
- Washbasin
- Mixer tap
- Rigid sewage tank (88 L / 23 US Gal)
- Chrome toilet paper holder
- Shower screen in PMMA
- Wooden folding seat

## OWNER'S CABIN (FORWARD)

Headroom: 1,97 m / 6'6"

- Double berth (2,00 x 1,50 m / 6'7" x 4'11")
- Marine mattress
- Mirror
- 2 Closets, one with shelves
- Large storage space under berths
- 1 Opening hatch with blackout blind
- 2 Opening hull portholes with blackout curtains
- TV Pre-wiring: Socket + Double aerial socket (land digital / satellite)
- DVD Player Fusion<sup>R</sup> AV750
- 2 Fusion<sup>R</sup> Loudspeakers

## GUEST CABINS (PORTSIDE)

Headroom: 1,95 m / 6'5"

- Bunk beds (0,70 x 1,90 m / 2'4" x 6'3")
- Marine mattress
- Lower unit
- Storage under berth
- 2 Opening hull portholes with blackout curtains

## ENGINE

- Shaft propulsion
- Propeller
- Single engine Cummins<sup>®</sup> QSB6.7I 425 HP / HP (313 kW)
- Fuel filter with decanter
- Sea water filter
- Engine room soundproofed with high density foam 40 mm / 1-1/2" thick
- Air intakes for engine hold cooling, on deck
- Extinguisher
- Fuel tank deck filler
- Aluminium fuel tank (Capacity = 800 L / 211 US Gal) pre-fitted for FPS (Fuel Polishing System) connection system
- Steering system: Hung rudder, in stainless steel
- Hydraulic steering
- Electric trim tabs
- Bow thruster: Quick BTQ 185 65 12
- Stern thruster: Quick BTQ 185 65 12

## ELECTRICITY

- Electrical panel (12 V / 110 V)
- Shore power socket (110 V)
- 2 engine batteries (12 V 50 Amp)
- 1 AGM service battery (12 V 140)
- Battery charger
- 2 12V Sockets
- Interior lighting (Overhead lights, reading lights)
- Outside lighting (Navigation lights, Mooring light, Spot cockpit, Blue LEDs at the flybridge)
- 7,5 kVA Generator

## PLUMBING

- 1 Manual bilge pump (Cockpit)
- 1 Electric bilge pump automatic
- Water pump for pressurizing hot/cold water system
- 25 L / 7 US Gal/Water heater working off engine exchanger and 110 V
- Water tank filler
- 2 Water tanks (2 x 150 L / 2 x 40 US Gal)
- 1 Grey water buffer tank (8 L / 2 US Gal)
- 2 Grey water tanks (2 x 80 L / 2 x 21 US Gal) (Option)
- Shore freshwater supply



## TRIM LEVEL

	ESSENTIAL TRIM LEVEL
• 12 V / 110 V inverter (700 VA)	■
• Raymarine 9" screen with Downvision sounder in wheelhouse	■
• Raymarine 9" screen on flybridge	■
• Shore freshwater supply	■
• Cummins engine spare box	■
• p70RS autopilot with repeater on the flybridge	■
• Dual-station VHF	■

## OPTIONS

### PACKS

#### PACK ELECTRONIC

- IP aft camera with inverted image
- Quantum Digital radar
- Windvane / Anemometer
- 650 AIS receiver

#### AIR CONDITIONING PACK

- 7,5 kVA Generator (230V / 50 Hz)
- Reversible air conditioning - 34 kBTU

### OTHERS

#### EXTERIOR EQUIPMENT

- Complete mooring/anchoring kit:
  - Delta anchor 16 kg/35 lbs
  - Chain (10 mm diameter) - 28 m/91'10"
  - Mooring line (18 mm diameter) - 40 m/131'3"
  - 4 Mooring ropes (14 mm diameter) - 10 m/32'10"
  - 6 Fenders (250 mm diameter) - height 700 mm/2'4"
- Hydraulic gangway
- "easy to store" Sunbrella Oyster cockpit aft closing and Sunworker white lining
- Flybridge softop with Oyster lighting + Dodger
- Flybridge bimini with Oyster lighting + Dodger
- Telescopic davits
- Foldaway seats on transom
- Sun deck mattress with cover (filtering foam)
- Solid wood slatted cockpit and starboard catwalk
- Steel Blue hull
- Pearl Grey hull
- Refrigerated drawer on flybridge (30 L / 1'10 Cu.ft)
- Black Sunworker outside wheelhouse and starboard side deck curtains
- Fresh water deck washing pump
- Refrigerated drawer on flybridge (30 L / 1'10 Cu.ft)

#### TECHNICAL EQUIPMENT

- Spare service batteries - AGM (140A)
- 2 Grey water tanks (2 x 80 L / 2 x 21 US Gal)
- Shore freshwater supply
- Fresh water deck washing pump
- Deck searchlight
- M200 thermal imaging camera
- Multifunction 12" screen in wheelhouse, replacing the 9"
- Multi-fonction screen 12" on flybridge, replacing the 9"

#### INTERIOR EQUIPMENT

- Reversible air conditioning - 34 kBTU
- Diesel heater "air pulse" - 5 500 W
- Microwave oven and grill - 110V (replacing gas oven)
- Ceramic hob 2 burners - 220V / 60 Hz (replacing gas stove)
- 75 L drawer freezer + ice maker - 110V / 60 Hz
- African spirit grey lined carpet in the wheelhouse
- Dune Berber carpet (2 Cabins + passageway)
- Mosquito screens, Side door + Aft window door + Round portholes
- Yacht Case ELLE DECO® table setting

#### AMBIANT LIGHTING

- Hitch Avalanche Java PVC Exterior upholstery
- Hitch Avalanche Indigo PVC Exterior upholstery
- ZIP Trendy Grey fabric settee interior cushions
- Lounge Robust fabric settee interior cushions
- Libra 45 Efficiency® fabric settee interior cushions
- Nuance White PVC settee interior cushions
- Leather settee interior cushions (includes pilot bench seat)
- Promessa Ultra Leather settee interior cushions (includes pilot bench seat)



America/Export: Please note that electric power and appliances may be different and/ or not offered on standard or on option. They would be adapted locally by your dealer.