

General Equipment list - North America

# **GENERAL SPECIFICATIONS**

Overall Length (L.O.A)	16,78 m	55'1"
Hull length	15,99 m	52'6"
• L.W.L.	15,16 m	49'9"
Hull Beam	4,96 m	16'3"
Deep draft	2,30 m	7'7"
<ul> <li>Deep ballast weight</li> </ul>	4 230 kg	9,326 lbs
<ul> <li>Shallow draft</li> </ul>	1,91 m	6'3"
<ul> <li>Shallow ballast weight</li> </ul>	4 560 kg	10,053 lbs
<ul> <li>Very shallow draft</li> </ul>	1,56 m	5'1"
<ul> <li>Ballast weight - Very shallow draft</li> </ul>	4 855 kg	10,703 lbs
Air draft	23,95 m	78'7"
<ul> <li>Light displacement</li> </ul>	16 900 kg	37,258 lbs
<ul> <li>Fuel tank capacity (standard)</li> </ul>	400 L	106 US Gal
<ul> <li>Fuel tank capacity (Option)</li> </ul>	200 L	53 US Gal
<ul> <li>Fresh water capacity (standard)</li> </ul>	694 L	183 US Gal
<ul> <li>Fresh water capacity (Option)</li> </ul>	324 L	86 US Gal
Engine power	80 HP	80 HP
	110 HP	110 HP

# ARCHITECTS / DESIGNERS \_

- Naval Architect: Berret Racoupeau Yacht Design
- Interior design: Nauta Design

# CE CERTIFICATION \_\_\_\_\_

- Category A 12 people
- Category B 14 people
- Category C 16 people

# STANDARD SAILS DIMENSIONS \_\_\_\_\_

<ul> <li>Furling mainsail (standard)</li> </ul>	53,00 m <sup>2</sup>	570 sq/ft
<ul> <li>Self-tacking jib (standard)</li> </ul>	53,00 m <sup>2</sup>	570 sq/ft
Classic mainsail	67,00 m <sup>2</sup>	721 sq/ft
<ul> <li>Genoa (105 %)</li> </ul>	66,00 m <sup>2</sup>	710 sq/ft
<ul> <li>Asymmetrical spinnaker</li> </ul>	200,00 m <sup>2</sup>	2,153 sq/ft
• Code 0	116,00 m <sup>2</sup>	1,249 sq/ft
• 1	20,93 m	68'8"
• J	6,60 m	21'8"
• P	19,85 m	65'1"
• E	5,90 m	19'4"







3 cabins + 2 heads



3 cabins + 3 heads + Forepeak cabin (Option)



4 cabins + 2 heads (Option)





### General Equipment list - North America

#### STANDARD EQUIPMENT

#### CONSTRUCTION

- Design made following European Directive requirements and according to CE certification
- Vacuum infused hull (GRP / Sandwich balsa wood)
- Vacuum infused structural inner liner (Fabric resin) bonded to the hull
- Injection molded deck in glass fiber/balsa sandwich, covered with "diamondpoint" non-slip coating
- Infusion single-skin GRP injection inner deck molding
- · Deck hull joint screwed, bonded and banded with 1 solid wood bulwark
- Cast iron keel fixed with bolts and stainless steel backing plates
- · Hung rudder with stainless steel stock
- · White hull Grey metal hull decoration
- 8 Large hull ports

#### DECK EQUIPMENT

#### **RIGGING**

- Mast with in-mast furling 9/10th anodized aluminium. 2 sets of spreader bars
- · Anodized aluminum boom
- · Self-tacking jib hardware
- · Discontinuous stainless steel standing rigging
- · 2 Backstays with turnbuckles
- · Rigid boom vang
- Self-clinching jib furler with drum on the deck
- 2 Stand Up blocks on mainsheet arch
- Rigging run back to cockpit (except boom topping lift)
- Complete running rigging: Main halyard, Self-clinching jib halyard with jammer on the mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 1 Self-tacking jib sheet
- 7 Clutches
- · 2 Lockers for rope tails near helm stations

#### **WINCHES**

- 2 Self tailing coachroof winches (H46.2 STC)
- 2 Aluminium Speed Grip winch handles
- 2 Winch handle holders

#### **HALYARDS**

Completely hidden

· GRP halyard cover from mast foot to the back of the cockpit

#### SAILS

- Furling mainsail, Dacron
- · Self-tacking jib, Dacron
- · UV protective strip, Natural

# **MOORING - ANCHORING GEAR**

- Self-bailing chain locker with clench eye
- 12 V 1500 W vertical electric windlass Remote control
- 8 Aluminum mooring cleats, Length: 400 mm / 1'4" Stainless steel chafing plate

#### SAIL LOCKER

- Access through deck hatch T70, Passage width: 62 cm / 2'
- · Stainless steel ladder
- · Shelving unit
- Direct access to the anchor well, Panel: T44

#### **SAFETY ON DECK**

- 1 Open stainless steel pulpit
- · 2 Stainless steel aft pushpits
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- Welded ring on pushpit for flag
- Double guard lines and stainless steel stanchions, 750 mm / 2'6" Side boarding gate on either side

#### COCKPIT

- · Self-bailing cockpit
- · 2 Cockpit locker
- · 2 Lockers in cockpit floor under helm's feet
- 1 Liferaft locker under helm seat (0,95 m x 0,42 m x 0,59 m (Deep) / 3'1" x 1'5" x 1'11" (Deep))
- 1 Gas locker for bottle(s) in cockpit sole
- Natural solid wood slatted cockpit benches
- 2 Steering wheel consoles: Stainless steel steering wheels 900 mm diameter - Leather covered - Steering gear at the helm station - Metal cable transmission system - Stainless steel cup holder
- 2 Deck access points to tiller system + Power supply access hatch
- 1 Emergency tiller
- 2 Steering compass
- Engine throttle and control panel on starboard
- Polyester cockpit table 2 leaves 2 side tables at the end of the table -Glove boxes - 1 Cooler - 1 Storage - 2 Large stainless steel handrails - 12 V Power outlet - Lamp with shade
- · Cockpit shower hot/cold water
- 1 Fixed composite arch Built-in lighting LED 4 Handrails
- 1 shore supply socket to starboard
- · 2 Sunbathing areas to either side of the companionway
- 2 Hinged PMMA companionway doors Sliding hatch made of PMMA

#### SWIM DECK / STERN DECK

- Fully opening transom, convertible into swim platform (2,85 m x 0,77 m / 9'4" x 2'6")
- Electrically operated
- Natural solid wood decking on swim platform
- 1 Stainless steel swimming ladder, Folding Solid wood steps

### INTERIOR

#### 3 cabins 2 heads version - standard

- · Woodwork Alpi Mahogany
- Parquet type laminated floors
- · Padding upholstery in salon and cabins
- · Interior upholstery, in fabrics
- Marine mattresses in the cabins

# COMPANIONWAY

- Headroom: 1.97 m / 6'6"
- Wooden salon companionway with molded wood hanging steps with nonslip surface
- 2 Leather covered stainless steel handrails



# General Equipment list - North America

#### SALON

- Headroom: 1,98 m / 6'6"
- to starboard: Salon bench seats, Removable backrest Double density foam
- Salon table in 1 piece Varnished wood top with inlay 2 Aluminum legs
- to port: Large sofa (2 m / 6'7")
- Mirror on bulkhead, at base of companionway
- Cupboard units Cubby hole lockers and storage along the hull Storage under bench seats
- · Shelving with chrome fiddles
- 2 Panoramic deck house windows with concertina blinds
- 2 Hull portholes with curtain
- 2 Opening portholes on coaming in side windows
- · 2 Flush deck hatches with mosquito blind, T44, in white opaque PMMA
- · 2 Stainless steel handrails, on deckhead

#### **CHART TABLE - STARBOARD**

- Table with flap Molded wood beading
- 1 Swivel seat
- · Electrics panel on bulkhead
- · Navigation instrument panel (without instruments)
- 1 Reading light, flexible and multi-directional
- 1 Overhead light

#### **GALLEY - PORTSIDE**

- Headroom: 1,95 m / 6'5"
- · U-shaped galley
- Counter-top in Clay compact with Corian fiddles
- 1 Double stainless steel sink 1 Mixer tap with hot/cold water under pressure
- 1 Gas stove 2 burners Stainless steel oven on gimbal 1 Storage, beneath the oven
- 1 12 V 100 L ice box, top opening
- 1 12 V 130 L refrigerator, front opening
- Fitted cupboards and closed cubbyholes (Shelving, Garbage bin)
- 1 Lower unit: 3 Drawers 1 Storage
- · Storage space along the hull
- · 2 Opening ports on coaming with curtains on side windows
- 1 Opening deck hatch

#### **FORWARD CABIN**

- Headroom: 1,93 m / 6'4"
- Central double bed (2,10 m x 1,82 m x 1,14 m / 6'11" x 6' x 3'9") Island bed type, mounted on gas struts
- 2 Flexible and multi-directional reading lights at bedhead
- Hanging lockers Glove box Shelving unit Lower unit Storage space under bed
- Mirror on bulkhead
- · 2 Flush deck hatches with mosquito blind
- 2 Hull portholes with curtain
- · 2 Fixed windows to forward end of coachroof with built-in blinds

## **FORWARD HEAD**

### to starboard

- Headroom: 1.92 m / 6'3"
- 1 Pearl grey GRP basin built into the Corian Clay work surface, mixing tap hot/cold water. Storage space under the basin, 2 Shelves
- 1 Washroom storage cabinet
- 1 Mirror
- 1 Separate shower, High storage, 1 Wooden seat. Shower base in pearl grey GRP. Grey laminated bulkhead
- 1 Deck hatch with mosquito blind

#### to port

- · Separate manual marine WC
- 1 Rigid holding tank 80L / 21 US Gal
- 1 Pearl grey GRP basin built into the Corian Clay work surface, mixing tap hot/cold water, with hose for use as shower
- Shower base in pearl grey GRP. Grey laminated bulkhead
- 1 Washroom storage cabinet, Mirror
- Toilet accessories
- Storage space along the hull
- 1 Deck hatch with mosquito blind

#### STARBOARD AFT HEAD COMPARTMENT

- Headroom: 1,91 m / 6'3"
- · Access through salon
- Separate shower 1 mixing tap hot/cold water Storage on bulkhead -Corian Clay counter-top with self-draining storage. Shower base in pearl grey GRP
- 1 Manual marine toilet
- 1 80 L / 21 US Gal Rigid holding tank
- · Washbasin 1 mixing tap hot/cold water
- · 1 Washroom storage cabinet
- Storage space under the basin
- 2 Mirrors
- Toilet accessories
- 1 Opening portlight with curtains in the coachroof side window

#### STARBOARD AFT CABIN

- Headroom: 1,95 m / 6'5"
- 1 Double bed (2,03 m x 1,37 m x 1,70 m / 6'8" x 4'6" x 5'7")
- Cupboard units, Hanging locker, Closed cubbyholes, Storage each side of hed
- 1 Large size hull port with curtain
- 1 Opening deck hatch with mosquito blind
- 1 Opening cockpit port with curtain
- 1 window onto cockpit beneath the lounger

## **PORT AFT CABIN**

- Headroom: 1,95 m / 6'5"
- 1 Double bed (2,03 m x 1,18 m x 1,50 m / 6'8" x 3'10" x 4'11")
- 1 Plenty of stowage space, Beam: 106 cm / 3'6". Upper part: 1/3 Hanging locker, 2/3 Shelves. Lower part: Large drawers
- · Closed cubbyholes, stowage along the length of the berth
- · Cupboard units, Hanging locker, Closed cubbyholes
- 1 Large size hull port with curtain
- 1 Opening deck hatch with mosquito blind
- 1 Opening cockpit port with curtain
- 1 window onto cockpit beneath the lounger

# 3 cabins 3 heads version

#### SALON

- Headroom: 1,98 m / 6'6"
- Length of port settee into galley extension: 1,42 m x 0,82 m / 4'8" x 2'8"
- Starboard salon identical to the standard version

#### **PORT AFT CABIN**

- Headroom: 1,95 m / 6'5"
- 1 Double bed (2,03 m x 1,18 m x 1,50 m / 6'8" x 3'10" x 4'11")
- 1 Hanging locker, Beam: 40 cm / 1'4"
- 1 Large size hull port with curtain
- 1 Opening deck hatch with mosquito blind
- 1 Opening cockpit port with curtain
- 1 window onto cockpit beneath the lounger



### General Equipment list - North America

#### AFT PORT HEAD COMPARTMENT

- Headroom: 1,90 m / 6'3"
- · Access through salon and port aft cabin
- Shower Storage on bulkhead
- 1 Manual marine toilet
- Washbasin 1 mixing tap hot/cold water
- 2 Mirrors
- · Toilet accessories
- 1 Opening portlight with curtains in the coachroof side window

#### 4 cabins 2 heads version

The starboard aft head compartment is replaced by a side cabin

#### STARBOARD SIDE CABIN

- Headroom: 1,91 m / 6'3"
- 2 Bunk beds: Top bunk (1,92 m x 0,77 m x 0,42 m / 6'4" x 2'6" x 1'5") Bottom bunk (1,92 m x 0,69 m x 0,45 m / 6'4" x 2'3" x 1'6")
- Top bunk: raises up to allow more space
- Storage
- · 1 Opening porthole with curtain

# **ENGINE**

- · Engine Yanmar Diesel:
- 80 HP/80 HP, Sail Drive, Common Rail (standard)
- 80 HP/80 HP, Common Rail, Dock & Go (Option)
- 110 HP/110 HP, Propeller shaft, Common Rail (Option)
- Engine control Control panel in cockpit starboard
- Engine compartment: Soundproofing foam Ventilation: 2 air intakes and 1 forced air outlets
- 1 Alternator 12 V / 125 Amp (Dock & Go: 1 Alternator 12 V / 120 Amp)
- 2 Rotomolded diesel tank 200 L / 53 US Gal (under port aft berth and starboard) - Electronic gauge - Low level alarm - 2 Deck fillers
- Filters: Sea water Diesel Water separator
- Fixed three blade propeller
- 1 Engine access through companionway (opening with 2 gas pistons) 2 Engine access through aft cabins

#### **ELECTRICITY**

- 12 V Circuit
- 4 Service batteries (140 Amp) 1 Engine battery (110 Amp)
- 1 Load balancer
- 1 60 Ah Battery charger
- 12 V Electrical panel (Fuses Voltmeter Water gauge Fuel gauge -Battery warning - Fuel warning - Water warning)
- 7 115 V Power outlets
- 2 12 V Power outlets
- Lighting: Overhead lights Reading lights Reading light, flexible and multidirectional
- Navigation lights: 1 Forward and aft navigation lights 1 Steaming light 1 Mooring light on masthead
- · Wire runs for option cables

#### **PLUMBING**

- 1 Rotomolded freshwater tank (324 L / 86 US Gal, Starboard salon) 1 Rotomolded freshwater tank (330 L / 87 US Gal, Forward cabin) - 2 Deck fillers - Separate tank filling - Tank selection with "¼ turn" by-pass valves
- Waterpressure system Expansion tank Inline filter
- 40 L / 11 US Gal Electric water heater (engine use)
- 1 Rigid 80 L / 21 US Gal black water holding tank for each WC
- Delayed shower draining and electric shower drain pumps
- 1 Electric bilge pump 1 Manual bilge pump
- 1 Electric pump for the ice box drain

#### GAS

- 1 Gas bottle box in the cockpit (diameter 0,34 m x 0,53 m / 1'1" x 1'9")
- Regulator and solonoid



# General Equipment list - North America

# **TRIM LEVEL**

	ESSENTIAL	EXCLUSIVE
Bowsprit with integrated anchor roller and bobstay	•	•
1 Port electric coachroof winch - H46.2 STCEH		
Releasable forestay chainplate		
Stainless steel beading for fenders in cockpit locker		
Microwave		
2 USB sockets at the chart table to recharge mobile devices		•
Hifi: Fusion + Interior speakers & Waterproof exterior speakers	•	•
Storage space(s) under the floor	•	•
• 12/115 V, 2 kVA inverter	•	•
AGM Batteries	•	•
2 Additional 140 ampères service batteries	•	•
1 Additional 40 ampères battery charger	•	•
LED: Navigation light, Interior lighting	•	•
Cockpit sole natural solid wood		•
Polyester/wood cockpit table + White PVC protective cover		•
12V Refrigerator unit in cockpit table		•
Cockpit: Leather covered stainless steel handrails		•
2 Sunbed mattresses for companionway		•
Sea water deck wash pump		•
Tilting transom remote control		•
Upgrade - Bose speakers in salon		•
Galley: Stainless steel cooker 3 burner oven/grill on gimbal		•
<ul> <li>Galley: Refrigeration system, 12 V, in top-opening icebox (for storage below 0°C)</li> </ul>		•
Salon and Galley: LED interior lights		•
Cabins: Automatic lighting in closets		•

### **PACKS**

# **ELECTRONIC B&G PACK**

- Helm consoles to port and starboard:
  - 1 Multifunction Zeus 12" wide wireless screen (GPS, Chart plotter, Chart reader Cartography Navionics Silver included)
- Wind Sensor (Windvane, Anenometer)
- Sensor (Log, Speedometer, Temperature)
- PC interface

Pack B

• Chart table: Multifunction 16" screen + Remote Keyboard ZC2-Series

## **Autopilot Pack**

- NAC3 Autopilot + Control at steering station
- WR10 Wireless autopilot remote control

# PERFORMANCE PACK (for classic mast)

- Performance Incidence D4 Sails
- German system (Two-way mainsheet at the helm station, 1 Port rewind electric winch with control at each helm station)
- · Genoa sheet track in catwalks

VERSION	DOCK & GO
Engine: YANMAR - Common Rail - Diesel	•
Swiveling Sail Drive base	
Joystick	
Vessel Management Unit (VMU)	
Bow thruster	
Auto pilot	_



# General Equipment list - North America

#### **OPTIONS**

#### Navigation electronics: B&G

- 4G Radar
- Chart table: Fixed V90 VHF, AIS receiver function + 2 H50 cockpit handset
- AIS 500
- Forward Scan Sensor (Forward underwater vision)

#### Rigging - Sails

- Classic mast + Full batten Hydranet mainsail + Lazy Jack and Lazy Bag Natural color
- Grey lacquered Park Avenue boom (for classic mast)
- · In-boom furling (for classic mast)
- Electric genoa furling system
- Self-tacking jib, Hydranet
- · Furling mainsail, Hydranet
- Asymmetrical spinnaker rigging + Code 0 rigging
- MylarTaffetas (Code 0) with furling drum
- · Hydranet genoa on furler and genoa sheet rail on catwalks
- · Hydraulic backstay (for classic mast)
- 2 Flag halyards
- · 4 Additional halyard clutches

#### **Winches**

- 2 Self-tailing genoa sheet winches H60.2 STC (with polyester mounting)
- 2 Electric genoa winches H 60.2 STCEH (with polyester mounting)
- 1 Starboard electric primary winch H46.2 STCEH
- 1 Port maneuver rewind winch (Not available with Performance Pack)

### **Hull - Deck - Cockpit**

- · Blue grey or pearl grey hull
- · Metallic hull paint
- · Gangway (Besenzoni) Integral hydraulic crane
- Solid wood slatted side decks
- Slatted solid wood on coachroof
- 2 Opaque white PMMA deck panels in the salon, instead of standard
- · Bimini Luxe, Cadet Grey
- · Bimini Luxe + Sprayhood , Cadet Grey
- · Full cockpit enclosure Luxe, Cadet Grey
- · Covers pack Luxe (Table, steering wheel and console), Cadet Grey
- White PVC steering wheel covers
- Natte Dusk Cockpit cushions
- Bow thruster
- 3 folding blades propeller
- Retractable davits
- Moorings lines, anchoring gear, fenders
- · White or black composite steering wheels
- Windlass control with chain counter in cockpit
- Shore freshwater supply
- Underwater lights
- Windex Windvane
- Mooring cleats on transom

### Interior equipment

- Interior woodwork: Brushed Alpi oak
- · Luxe Folding salon table on electric leg
- Interior upholstery, according to swatches: Fabric, Leather or Ultraleather
- Upholstery padding (Salon and Cabins): Anthracite Grey or Macadamia
- Pre-wiring for 32" TV + Fusion player (Bluetooth, USB, DVD, MP3) in the salon
- · Dishwasher for 6 sets
- Ice maker
- Washer / dryer (5 kg / 110 V)
- Pure Ebony carpet
- Double berth in salon
- Slat mattresses
- Electronic safe
- Mosquito screens
- · Quiet flush electric toilets fresh water/Sea water
- · Exhaust fan
- White-lacquered doors (Salon and Galley)
- · Galley: Sea water/fresh water foot pump
- Extra water tank, in the salon (324 L / 86 US Gal)
- Extra fuel tank (200 L / 53 US Gal)
- 9 KVA 110 V / 60 Hz Generator with cocoon
- Chilled water air conditioning (110 V / 60 Hz)
- · Heating connection in forepeak cabin
- Air conditioning connection in forepeak cabin
- Water maker 60 L/h 16 US Gal/h

#### Forepeak cabin

In place of the sail locker:

- Access through deck hatch T70, Passage width: 62 cm / 2' Stainless steel ladder
- Headroom: 1,84 m / 6', beneath deck hatch
- 2 Bunk berths (Bottom bunk: 2,00 m x 0,70 m 0,46 m / 6'7" x 2'4" 1'6" Top bunk: 1,92 m x 0,77 m x 0,43 m / 6'4" x 2'6" 1'5", raises up to allow more space)
- Foam mattress PVC cover
- 1 Cupboard: 2 Shelves 1 high shelf
- Manual marine toilet + 50 L / 13 US Gal Rigid holding tank Stainless steel sink - Storage space under the basin - 1 Mirror - Shower head mixer tap (hot/cold water) - Shower tray with curtain
- Regulator and solonoid